



Department  
for Environment  
Food & Rural Affairs

[www.gov.uk/defra](http://www.gov.uk/defra)

# Draft Air Quality Plan for the achievement of EU air quality limit value for nitrogen dioxide (NO<sub>2</sub>) in Edinburgh Urban Area (UK0025)

September 2015



Llywodraeth Cymru  
Welsh Government



The Scottish  
Government  
Riaghaltas na h-Alba



© Crown copyright 2015

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v.3. To view this licence visit [www.nationalarchives.gov.uk/doc/open-government-licence/version/3/](http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/) or email [PSI@nationalarchives.gsi.gov.uk](mailto:PSI@nationalarchives.gsi.gov.uk)

Any enquiries regarding this publication should be sent to us at:

[air.quality@defra.gsi.gov.uk](mailto:air.quality@defra.gsi.gov.uk)

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	This document . . . . .	3
1.2	Context . . . . .	3
1.3	Zone status . . . . .	3
1.4	Plan Structure . . . . .	3
<b>2</b>	<b>General information about the Zone</b>	<b>4</b>
2.1	Administrative information . . . . .	4
2.2	Assessment details . . . . .	6
2.3	Reporting Under European Directives . . . . .	8
<b>3</b>	<b>Overall Picture for 2013 Reference Year</b>	<b>8</b>
3.1	Introduction . . . . .	8
3.2	Reference year: NO <sub>2</sub> _UK0025_Annual_1 . . . . .	8
<b>4</b>	<b>Measures</b>	<b>13</b>
4.1	Introduction . . . . .	13
4.2	Source apportionment . . . . .	13
4.3	Measures . . . . .	13
4.4	Measures timescales . . . . .	14
<b>5</b>	<b>Baseline Model projections</b>	<b>14</b>
5.1	Overview of model projections . . . . .	14
5.2	Baseline projections: NO <sub>2</sub> _UK0025_Annual_1 . . . . .	15
	<b>Annexes</b>	<b>19</b>
A	References . . . . .	19
B	Source apportionment graphs . . . . .	20
C	Tables of measures . . . . .	22

# 1 Introduction

## 1.1 This document

This document is the Edinburgh Urban Area agglomeration zone (UK0025) updated air quality plan for the achievement of the EU air quality limit values for nitrogen dioxide (NO<sub>2</sub>). This is an update to the air quality plan published in September 2011 (<http://uk-air.defra.gov.uk/library/no2ten/>).

This plan presents the following information:

- General information regarding the Edinburgh Urban Area agglomeration zone
- Details of the NO<sub>2</sub> exceedance situation within the Edinburgh Urban Area agglomeration zone
- Details of local air quality measures that have been implemented, will be implemented or are being considered for implementation in this agglomeration zone.

This air quality plan for the Edinburgh Urban Area agglomeration zone should be read in conjunction with the separate UK overview document. The UK overview document sets out, amongst other things, the authorities responsible for delivering air quality improvements and the national measures that are applied in some or all UK zones. The measures presented in this plan and the accompanying UK overview document show how the UK will ensure that compliance with the NO<sub>2</sub> limit values is achieved in the shortest possible time.

## 1.2 Context

Two NO<sub>2</sub> limit values for the protection of human health have been set in the Air Quality Directive (2008/50/EC). These are:

- The annual mean limit value: an annual mean concentration of no more than 40  $\mu\text{g m}^{-3}$
- The hourly limit value: no more than 18 exceedances of 200  $\mu\text{g m}^{-3}$  in a calendar year.

The Air Quality Directive stipulates that compliance with the NO<sub>2</sub> limit values will be achieved by 01/01/2010. However, where the limit values cannot be achieved by then, the Directive also allowed Member States to postpone this attainment date until 01/01/2015 at the latest provided air quality plans were established demonstrating how the limit values would be met by this extended deadline. Postponement of compliance until 01/01/2015 was granted by the European Commission for Edinburgh Urban Area agglomeration zone.

## 1.3 Zone status

The assessment undertaken for the Edinburgh Urban Area agglomeration zone indicates that the annual limit value was exceeded in 2013 but is likely to be achieved before 2020 through the introduction of measures included in the baseline.

## 1.4 Plan Structure

General administrative information regarding this agglomeration zone is presented in section 2.

Section 3 then presents the overall picture with respect to NO<sub>2</sub> levels in this agglomeration zone for the 2013 reference year of this air quality plan. This includes declaration of exceedance situations within the agglomeration zone and presentation of a detailed source apportionment for each exceedance situation.

An overview of the measures already taken and to be taken within the agglomeration zone both before and after 2013 is given in section 4.

Baseline modelled projections for 2020, 2025 and 2030 for each exceedance situation are presented in section 5. The baseline projections presented here include, where possible, the impact of measures that have already been taken and measures for which the relevant authority has made a firm commitment to take the measure(s). However, it has not been possible to quantify the impact of all the measures. This section therefore also explains which measures have been quantified, and hence included in the model projections, and which measures have not been quantified.

## 2 General information about the Zone

### 2.1 Administrative information

Zone name: Edinburgh Urban Area

Zone code: UK0025

Type of zone: agglomeration zone

Reference year: 2013


Extent of zone: Figure 1 shows the area covered by the Edinburgh Urban Area agglomeration zone.

Local Authorities within the zone: Figure 2 shows the location of Local Authorities within the agglomeration zone. A list of these Local Authorities is also given below. The numbers in the list correspond to the numbers in Figure 2.

1. East Lothian Council
2. Edinburgh City Council

(Note: Local Authority boundaries do not necessarily coincide with zone boundaries. Hence Local Authorities may be listed within more than one zone plan.)

**Figure 1: Map showing the extent of the Edinburgh Urban Area agglomeration zone (UK0025).**



© Crown copyright. All rights reserved Defra, License number 100022861 [2015]

**Figure 2: Map showing Local Authorities within the Edinburgh Urban Area agglomeration zone (UK0025).**



© Crown copyright. All rights reserved Defra, License number 100022861 [2015]

## 2.2 Assessment details

### Measurements

NO<sub>2</sub> measurements in this zone were available in 2013 from the following national network monitoring stations (NO<sub>2</sub> data capture for each station in 2013 shown in brackets):

1. Edinburgh St Leonards GB0839A (99%)

Full details of monitoring stations within the Edinburgh Urban Area agglomeration zone are available from <http://uk-air.defra.gov.uk/networks/network-info?view=aur>.

### Modelling


Modelling for the 2013 reference year has been carried out for the whole of the UK. This modelling covers the following extent within this zone:

- Total background area within zone (approx): 134 km<sup>2</sup>
- Total population within zone (approx): 468,399 people
- Total road length where an assessment of NO<sub>2</sub> concentrations have been made: 99 km in 2013 (and similar lengths in previous years)

### Zone maps

Figure 3 presents the location of the NO<sub>2</sub> monitoring stations within this zone for 2013 and the roads for which NO<sub>2</sub> concentrations have been modelled. NO<sub>2</sub> concentrations at background locations have been modelled across the entire zone at a 1 x 1 km<sup>2</sup> resolution.

**Figure 3: Map showing the location of the NO<sub>2</sub> monitoring stations with valid data in 2013 and roads where concentrations have been modelled within the Edinburgh Urban Area (UK0025) agglomeration zone.**



© Crown copyright. All rights reserved Defra, License number 100022861 [2015]



## 2.3 Reporting Under European Directives

From 2001 to 2012 the UK has reported annually on air quality concentrations using a standard excel questionnaire (Decision 2004/461/EC). These questionnaires are available online from <http://cdr.eionet.europa.eu/gb/eu/annualair>. Since 2013 reporting has been via an e-reporting system (Decision 2011/850/EU) <http://cdr.eionet.europa.eu/gb/eu/>.

In addition, the UK has reported on air quality plans and programmes (Decision 2004/224/EC) <http://cdr.eionet.europa.eu/gb/eu/aqpp>.

# 3 Overall Picture for 2013 Reference Year

## 3.1 Introduction

There are two limit values for the protection of health for NO<sub>2</sub>. These are:

- The annual limit value (annual mean concentration of no more than 40 µgm<sup>-3</sup>)
- The hourly limit value (no more than 18 hourly exceedances of 200 µgm<sup>-3</sup> in a calendar year)

Within the Edinburgh Urban Area agglomeration zone the annual limit value was exceeded in 2013. Hence, one exceedance situation for this zone has been defined, NO<sub>2</sub>\_UK0025\_Annual\_1, which covers exceedances of the annual limit value. This exceedance situation is described below.

Where locations have a time extension in place, a margin of tolerance has been defined by the Air Quality Directive (2008/50/EC) which applies to both NO<sub>2</sub> limit values up until the time extension expires. Data comparing assessed concentrations at locations within this agglomeration zone with the margin of tolerance are presented in e-reporting for 2013 (<http://cdr.eionet.europa.eu/gb/eu/annualair>).

## 3.2 Reference year: NO<sub>2</sub>\_UK0025\_Annual\_1

The NO<sub>2</sub>\_UK0025\_Annual\_1 exceedance situation covers all exceedances of the annual mean limit value in the Edinburgh Urban Area agglomeration zone in 2013.

Compliance with the annual limit value in this exceedance situation has been assessed using a combination of air quality measurements and modelling. Table 1 presents measured annual concentrations at national network stations in this exceedance situation since the 1st Daughter Directive (1999/30/EC) came into force in 2001. This shows that there were no measured exceedances of the annual limit value in this zone in 2013. Table 2 summarises modelled annual mean NO<sub>2</sub> concentrations in this exceedance situation for the same time period. This table shows that, in 2013, 8.8 km of road length was modelled to exceed the annual limit value. There were no modelled background exceedances of the annual limit value. Maps showing the modelled annual mean NO<sub>2</sub> concentrations for 2013 at background and at roadside locations are presented in Figures 4 and 5 respectively. All modelled exceedances of the annual limit value are coloured orange or red in the maps.

The maximum measured concentration in the zone varies due to changes in emissions and varying meteorology in different years. However, the models are also updated each year to take into account the most up-to-date science, so the modelled results for different years may not be directly comparable.

The modelling carried out for this exceedance situation has also been used to determine the annual mean NO<sub>x</sub> source apportionment for all modelled locations. Table 3 presents summary source apportionment information in this exceedance situation.

Table 3 summarises the modelled NO<sub>x</sub> source apportionment for the section of road with the highest modelled NO<sub>2</sub> concentration in this exceedance situation in 2013. This is important information because it shows which sources need to be tackled at the location with the largest compliance gap in the exceedance situation. It is not possible to calculate an unambiguous source apportionment for annual mean NO<sub>2</sub> concentrations for the reasons discussed in the UK Technical Report<sup>1</sup>. Therefore no NO<sub>2</sub> source apportionment is provided.

Figure B.1 in Annex B presents the annual mean NO<sub>x</sub> source apportionment for each section of road within the NO<sub>2</sub>\_UK0025\_Annual\_1 exceedance situation (i.e. the source apportionment for all exceeding roads only) in 2013. Roads have been grouped into motorways, primary roads and trunk roads in this figure.

---

<sup>1</sup>Technical report to be finalised for the final plan.

**Table 1: Measured annual mean NO<sub>2</sub> concentrations at national network stations in NO<sub>2</sub>\_UK0025\_Annual\_1 for 2001 onwards,  $\mu\text{gm}^{-3}$  (a). Data capture shown in brackets.**

Site name (EOI code)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Edinburgh Centre (GB0581A)	43 (98)	48 (86)	50 (46)										
Edinburgh St Leonards (GB0839A)			34 (10)	25 (91)	25 (96)	27 (94)	27 (97)	31 (96)	24 (98)	31 (98)	25 (98)	24 (99)	22 (99)

(a) Annual Mean Limit Value =  $40 \mu\text{gm}^{-3}$

**Table 2: Annual mean NO<sub>2</sub> model results in NO<sub>2</sub>\_UK0025\_Annual\_1 for 2001 onwards.**

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Road length exceeding (km)	25.9	6.1	56.3	36.5	31.3	31.3	19.6	13.9	16.3	29.7	16.0	15.3	8.8
Background exceeding (km <sup>2</sup> )	0	0	0	0	0	0	0	0	0	0	0	0	0
Maximum modelled concentration ( $\mu\text{gm}^{-3}$ ) (a)	48.0	46.8	63.5	65.7	73.0	66.0	66.5	59.1	55.2	61.7	55	53	50


(a) Annual Mean Limit Value =  $40 \mu\text{gm}^{-3}$

**Table 3: Modelled annual mean NOx source apportionment at the traffic count point with the highest modelled concentration in 2013 in NO2\_UK0025\_Annual\_1 ( $\mu\text{gm}^{-3}$ ) (traffic count point 80127 on the A8; OS grid (m): 317700, 672680).**

Spatial scale	Component	Concentration at highest road link (a)
Regional background sources NOx (i.e. contributions from distant sources of > 30 km from the receptor).	Total	3.8
	From within the UK	2.3
	From transboundary sources (includes shipping and other EU member states)	1.5
Urban background sources NOx (i.e. sources located within 0.3 - 30 km from the receptor).	Total	25.0
	From road traffic sources	12.9
	From industry (including heat and power generation)	2.9
	From agriculture	NA
	From commercial/residential sources	2.1
	From shipping	1.1
	From off road mobile machinery	2.6
	From natural sources	NA
	From transboundary sources	NA
From other urban background sources	3.5	
Local sources NOx (i.e. contributions from sources < 0.3 km from the receptor).	Total	98.0
	From petrol cars	8.0
	From diesel cars	38.9
	From HGV rigid	13.8
	From HGV articulated	6.2
	From buses	16.0
	From petrol LGVs	0.2
	From diesel LGVs	15.0
From motorcycles	0.1	
From London taxis	0.0	
Total NOx (i.e. regional background + urban background + local components)		126.9
Total NO <sub>2</sub> (i.e. regional background + urban background + local components)		50


(a) Components are listed with NOx concentration of NA when there is no source from this sector.

**Figure 4: Map of modelled background annual mean NO<sub>2</sub> concentrations 2013. Modelled exceedances of the annual limit value are shown in orange and red.**



© Crown copyright. All rights reserved Defra, License number 100022861 [2015]

**Figure 5: Map of modelled roadside annual mean NO<sub>2</sub> concentrations 2013. Modelled exceedances of the annual limit value are shown in orange and red.**



© Crown copyright. All rights reserved Defra, License number 100022861 [2015]

## 4 Measures

### 4.1 Introduction

This section (section 4) gives details of measures that address exceedances of the NO<sub>2</sub> limit values within Edinburgh Urban Area agglomeration zone. This includes both measures that have already been taken and measures for which there is a firm commitment that they will be taken.

Section 5 then explains the extent to which it has been possible to incorporate the impacts of these measures into the baseline modelling carried out for this assessment.

### 4.2 Source apportionment

It is important to understand which sources are responsible for causing the exceedance in order to most effectively tailor measures to address the NO<sub>2</sub> exceedance situation described in section 3 above. This can be achieved by considering the source apportionment for the exceedance situation, also presented in section 3. A summary of what the source apportionment shows and the implications for which measures would therefore be appropriate is given here.

Local road traffic was the dominant source in this exceedance location in the reference year. The largest contribution was from cars at the location of maximum exceedance with a contribution of 46.8  $\mu\text{gm}^{-3}$  of NO<sub>x</sub> out of a total of 126.9  $\mu\text{gm}^{-3}$  of NO<sub>x</sub>. Cars and on some roads buses were important sources on the primary roads with the highest concentrations. For all road links concentrations of NO<sub>x</sub> from diesel cars were approximately four times greater than NO<sub>x</sub> emissions from petrol cars. NO<sub>x</sub> concentrations from petrol LGVs are a small component of total NO<sub>x</sub> concentrations and less than 2% of total NO<sub>x</sub> from LGVs.

This indicates that appropriate measures should impact on local road traffic sources in this zone. Other measures may also be beneficial depending on the source apportionment for the urban background.

### 4.3 Measures

Measures potentially affecting NO<sub>2</sub> in this agglomeration zone have been taken and/or are planned at a range of administrative levels. These are:

- European Union
- National (i.e. England, Scotland, Wales, Northern Ireland or whole UK)
- Local (i.e. UK Local Authorities)

Details of European Union measures (e.g. euro standards, fuel quality directives, integrated pollution prevention and control) can be found on the European Commission's website ([http://ec.europa.eu/environment/air/index\\_en.htm](http://ec.europa.eu/environment/air/index_en.htm)). Details of national measures are given in the UK overview document.

Relevant Local Authority measures within this exceedance situation are listed in Table C.1 (see Annex C). Table C.1 lists measures which a local authority has carried out or is in the process of carrying out, plus additional measures which the local authority is committed to carrying out or is investigating with the expectation of carrying out in the future.

Measures in the area promote park and ride, walking and cycling, and electric charging of vehicles. The zone's Local Transport Strategy objective is to meet the modal shift targets contained within the strategy, so supporting carbon reduction, adaptation to climate change, and sustainable and active travel and public transport.

There are several measures being taken forward e.g. buses are being upgraded to reduce emissions by the replacement of twenty six Euro IV by Euro V standard vehicles and the purchase of twenty hybrid single deck buses. Park and ride is also being implemented to ease traffic congestion at peak times and an initiative focused on tram emissions being implemented. An electric charging infrastructure scheme promotes the purchase of vehicles - there are 58 charging heads in 26 locations.

Differential residential parking is in place to reduce CO<sub>2</sub> emissions/engine size with co-benefits for NO<sub>x</sub>. An eco-driving trial is also taking place to reduce fuel use and a modal plan to encourage more walking and cycling.

## 4.4 Measures timescales

Timescales for national measures are given in the UK overview document.

Local Authorities report on progress with the implementation of their action plans annually and review action plan measures regularly. Information on local measures was collected in February/March 2015. Hence, any Local Authority action plans and measures adopted by Local Authorities after this time have not been included in this air quality plan.

The reference year for this air quality plan is 2013. Hence where measures started and finished before 2013, then the improvement in air quality resulting from these measures will have already taken place before the reference year and the impact of these measures will have been included in the assessment where the measure has had an impact on the statistics used to compile the emission inventory. Many measures started before the reference year and will continue to have a beneficial impact on air quality well beyond the reference year. Hence measures with a start date before 2013 and an end date after 2013 may have an impact on concentrations in the reference year and a further impact in subsequent years. Where the Status column in Annex C is 'Implementation', this shows that this measure is already underway or that there is a commitment for this measure to go ahead. Where the Status is 'Planning', 'Preparation' or 'Other' the level of commitment is less clear and it is possible some of these measures may not go ahead.

# 5 Baseline Model projections

## 5.1 Overview of model projections

Model projections for 2020, 2025 and 2030, starting from the 2013 reference year described in section 3, have been calculated in order to determine when compliance with the NO<sub>2</sub> limit values is likely to be achieved on the basis of EU, regional and local measures currently planned. Details of the methods used for the baseline emissions and projections modelling are provided in the UK technical report.

For national measures, it has not been possible to quantify the impact of all measures on emissions and ambient concentrations. The impact for all quantifiable measures has been included in the baseline projections.

The impacts of the individual Local Authority measures have not been explicitly included in the baseline model projections. However, measures may have been included implicitly if they have influenced the traffic counts for 2012 (used as a basis for the compilation of the emission inventory) or in the traffic activity projections to 2020 and beyond (used to calculate the emissions projections). It should be recognised that these measures will have a beneficial impact on air quality, even if it has not been possible to quantify this impact here.

## 5.2 Baseline projections: NO<sub>2</sub>\_UK0025\_Annual\_1

Table 4 presents summary results for the baseline model projections for 2020, 2025 and 2030 for the NO<sub>2</sub>\_UK0025\_Annual\_1 exceedance situation. This shows that the maximum modelled annual mean NO<sub>2</sub> concentration predicted for 2020 in this exceedance situation is 34  $\mu\text{g}\text{m}^{-3}$ . Hence, the model results suggest that compliance with the NO<sub>2</sub> annual limit value is likely to be achieved before 2020 under baseline conditions in this exceedance situation.

Figures 6 and 7 show maps of projected annual mean NO<sub>2</sub> concentrations in 2020, 2025 and 2030 for background and roadside locations respectively. Maps for 2013 are also presented here for reference.

It should be noted that the baseline projections presented here include the impacts of some measures, where they can be quantified, that have already been or will be implemented.



**Table 4: Annual mean NO<sub>2</sub> model results in NO<sub>2</sub>\_UK0025\_Annual\_1.**

	2013	2020	2025	2030
Road length exceeding (km)	8.8	0.0	0.0	0.0
Background exceeding (km <sup>2</sup> )	0	0	0	0
Maximum modelled concentration NO <sub>2</sub> (μgm <sup>-3</sup> ) (a)	50	34	27	24
Corresponding modelled concentration NOx (μgm <sup>-3</sup> ) (b)	127	74	55	49

(a) Annual Mean Limit Value = 40 μgm<sup>-3</sup>

(b) NOx is recorded here for comparison with the NOx source apportionment graphs for 2013 presented in Annex B of this plan. Limit values for EU directive purposes are based on NO<sub>2</sub>.

Figure 6: Background baseline projections of annual mean NO<sub>2</sub> concentrations in 2020, 2025 and 2030. 2013 is also included here for reference. Modelled exceedances of the annual limit value are shown in orange and red.





Figure 7: Roadside baseline projections of annual mean NO<sub>2</sub> concentrations in 2020, 2025 and 2030. 2013 is also included here for reference. Modelled exceedances of the annual limit value are shown in orange and red.



# Annexes

## A References

Air Quality Expert Group (AQEG, 2004). Nitrogen Dioxide in the United Kingdom. <http://uk-air.defra.gov.uk/library/aqeg/publications>

Decision 2004/224/EC. Commission Decision of 20 February 2004 laying down arrangements for the submission of information on plans or programmes required under Council Directive 96/62/EC in relation to limit values for certain pollutants in ambient air. From the Official Journal of the European Union, 6.3.2004, En series, L68/27

Decision 2004/461/EC. Commission Decision of 29 April 2004 laying down a questionnaire to be used for annual reporting on ambient air quality assessment under Council Directives 96/62/EC and 1999/30/EC and under Directives 2000/69/EC and 2002/3/EC of the European Parliament and of the Council. From the Official Journal of the European Union, 30.4.2004, En series, L156/78

Decision 2011/850/EU Commission Implementing Decision of 12 December 2011 laying down rules for Directives 2004/107/EC and 2008/50/EC of the European Parliament and of the Council as regards the reciprocal exchange of information and reporting on ambient air quality. From the Official Journal of the European Union, 17.12.2011, En series, L335/86

CDR Central Data Repository. <http://cdr.eionet.europa.eu/>


Air Quality Directive 2008/50/EC. Council Directive 2008/50/EC, of 21 May 2008. On ambient air quality and cleaner air for Europe. From the Official Journal of the European Union, 11.6.2008, En series, L152/1

1st Daughter Directive 1999/30/EC. Council Directive 1999/30/EC, of 22 April 1999 relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air (The First Daughter Directive). From the Official Journal of the European Communities, 29.6.1999, En Series, L163/41.

## **B Source apportionment graphs**

*Page left blank.*

Figure B.1: Annual mean roadside NO<sub>x</sub> source apportionment plots for all roads exceeding the annual mean NO<sub>2</sub> limit value in 2013.



Road class (MU = motorway, PU = primary road, TU = trunk road), road number, censusid 12 and modelled NO<sub>2</sub> concentration (µgm<sup>-3</sup>)

## **C Tables of measures**

*Page left blank.*

**Table C.1 Relevant Local Authority measures within Edinburgh Urban Area (UK0025)**

Measure code	Description	Focus	Classification	Status	Other information
Edinburgh City Council_1	Manage Bus Emissions	Voluntary	Public procurement: New vehicles, including low emission vehicles	Implementation	Start date: 2009 Expected end date: 2030 Spatial scale: Whole town or city Source affected: Transport Indicator: Euro 5 by 2015 Target emissions reduction: 48% to 61% TTR study
Edinburgh City Council_1a	Manage Bus Emissions and other vehicle classes	Mandatory LEZ	Public procurement: New vehicles, including low emission vehicles	Other	Start date: 2014 Expected end date: 2015 Spatial scale: Whole town or city Source affected: Transport Indicator: Euro 5 by 2015 Target emissions reduction: N/A
Edinburgh City Council_2	Manage Freight Emissions	Voluntary	Other measure: Other measure	Implementation	Start date: 2011 Expected end date: 2030 Spatial scale: National Source affected: Transport Indicator: yr 1 - 3000, yr2 - 4000 yr3 - 1667 Target emissions reduction: Not quantified
Edinburgh City Council_3	CEC vehicles	High standard for vehicle replacement 2003	Public procurement: Other measure	Implementation	Start date: 2003 Expected end date: 2030 Spatial scale: Whole town or city Source affected: Transport Indicator: N/A Target emissions reduction: Not quantified
Edinburgh City Council_3a	CEC Eco driving trial	Reduction in fuel use	Other measure: Other measure	Evaluation	Start date: 2012 Expected end date: 2013 Spatial scale: Whole town or city Source affected: Transport Indicator: N/A Target emissions reduction: Not quantified
Edinburgh City Council_4	LTS Park and Ride sites	Ease traffic congestion at peak times	Traffic planning and management: Improvement of public transport	Implementation	Start date: 2001 Expected end date: 2010 Spatial scale: Whole town or city Source affected: Transport Indicator: Patronage rates Target emissions reduction: Not quantified



Measure code	Description	Focus	Classification	Status	Other information
Edinburgh City Council_5	LTS Differential residential parking	Reduce CO2 emissions/engine size with co-benefits for NOx	Traffic planning and management: Differentiation of parking fees	Implementation	Start date: 2010 Expected end date: 2010 Spatial scale: Whole town or city Source affected: Transport Indicator: Number of low carbon vehicles registered Target emissions reduction: Not quantified
Edinburgh City Council_6	LTS Tram	Zero emissions at source	Traffic planning and management: Improvement of public transport	Implementation	Start date: 2008 Expected end date: 2014 Spatial scale: Whole town or city Source affected: Transport Indicator: Patronage rates Target emissions reduction: Not quantified
Edinburgh City Council_7	LTS New rail line /Station	Package to reduce road traffic entering Edinburgh from Airdrie - Bathgate and Newcraighall/ New Borders Railway being constructed	Traffic planning and management: Improvement of public transport	Implementation	Start date: 2014 Expected end date: 2016 Spatial scale: Local Source affected: Transport Indicator: Passenger numbers Target emissions reduction: Not quantified
Edinburgh City Council_8	LTS/Cycle	CEC Active Travel Plan	Traffic planning and management: Encouragement of shift of transport modes	Implementation	Start date: 2010 Expected end date: 2020 Spatial scale: Whole town or city Source affected: Transport Indicator: Modal shift all trips 10% cycling Target emissions reduction: Not quantified
Edinburgh City Council_8a	LTS/ walk	CEC Active Travel Plan	Traffic planning and management: Encouragement of shift of transport modes	Implementation	Start date: 2010 Expected end date: 2020 Spatial scale: Whole town or city Source affected: Transport Indicator: Modal shift all trips 35% walking Target emissions reduction: Not quantified
Edinburgh City Council_9	TrafficManagement SCOOT	SCOOT	Traffic planning and management: Other measure	Implementation	Start date: 2010 Expected end date: 2030 Spatial scale: Whole town or city Source affected: Transport Indicator: Reduce congestion Target emissions reduction: Not quantified

Measure code	Description	Focus	Classification	Status	Other information
Edinburgh City Council_9a	Traffic Management eMOTEs Trial at St John's Road AQMA	N/A	Traffic planning and management: Other measure	Evaluation	Start date: 2013 Expected end date: 2030 Spatial scale: Whole town or city Source affected: Transport Indicator: Reduce congestion Target emissions reduction: Not quantified
Edinburgh City Council_10	Electric Charging Infrastructure	Promote purchase of vehicles	Public procurement: Other measure	Implementation	Start date: 2012 Expected end date: 2030 Spatial scale: Whole town or city Source affected: Transport Indicator: N/A Target emissions reduction: Not quantified
Edinburgh City Council_11	Development of city wide land use and transport model	Measure would enable more accurate prediction of air quality impacts from cumulative development	Other measure: Other measure	Other	Start date: 2014 Expected end date: 2014 Spatial scale: Local Source affected: Transport Indicator: Manage density of development/ locate new development such that traffic emission impacts can be minimised Target emissions reduction: Not quantified
Edinburgh City Council_12	Traffic Management Newbridge feasibility study	Reduce congestion feasibility study for Newbridge Roundabout Glasgow Road AQMA	Traffic planning and management: Other measure	Evaluation	Start date: 2013 Expected end date: 2014 Spatial scale: Whole town or city Source affected: Transport Indicator: % Reduction in NOx emissions and peak pm queue lengths Target emissions reduction: Glasgow/Newbridge AQMA reductions in NOx required 35% to 43% three options 1) 43% /173m 2) 44% /134m 3) 47%/ 72m Current queue length 790m
Edinburgh City Council_12A	Traffic Management Newbridge	Reduce congestion and queue length Newbridge roundabout	Traffic planning and management: Other measure	Implementation	Start date: 2014 Expected end date: 2015 Spatial scale: Whole town or city Source affected: Transport Indicator: % Reduction in NOx emissions and peak pm queue lengths Target emissions reduction: 44% NOx

Measure code	Description	Focus	Classification	Status	Other information
Edinburgh City Council_13	LTS Controlled City Centre Parking Zones	Discourage car commuting, by allocating residential parking permits	Traffic planning and management: Differentiation of parking fees	Implementation	Start date: 2001 Expected end date: 2007 Spatial scale: Whole town or city Source affected: Transport Indicator: N/A Target emissions reduction: Not quantified
Edinburgh City Council_13a	LTS Priority Parking Trialled South/Central area of city	Influence commuter travel operational times coincide with peak travel periods	Traffic planning and management: Differentiation of parking fees	Implementation	Start date: 2001 Expected end date: 2014 Spatial scale: Whole town or city Source affected: Transport Indicator: N/A Target emissions reduction: Not quantified
Edinburgh City Council_14	CO2 emission reductions(Sustainable Energy Action Plan - targets energy efficiency and use of renewables from transport and buildings )	Some actions will provide co-benefits for air quality	Other measure: Other measure	Implementation	Start date: 2015 Expected end date: 2020 Spatial scale: Whole town or city Source affected: Transport Indicator: N/A Target emissions reduction: Not quantified