## References

Abu-Allaban, M. *et al.* (2003) Tailpipe, resuspended road dust, and brake-wear emission factors from on-road vehicles. *Atmospher. Env.* **37**, 5283–5293.

ACEA (1999) Problems Associated with the Measurement of Low Particle Levels. Report ACEA 99000524. European Automobile Manufacturers Association. Brussels.

Adams, H. S. *et al.* (2001a) Design and validation of a high flow personal sampler for PM<sub>2.5</sub>. *J. Exposure Analysis Environ. Med.* **11**, 5–11.

Adams, H. S. *et al.* (2001b) Fine particle (PM<sub>2.5</sub>) personal exposure levels in transport microenvironments, London, UK. *Sci. Total Env.* **279**, 29–44

AEA Technology (2002) *Atmospheric Emissions from Small Carcass Incinerators*. Report No AEAT/ENV/R/0920/Issue 2. AEA Technology, Harwell.

AEA Technology (1998) *Harmonisation of PM*<sub>10</sub> *Monitoring Methods*. AEAT 2258. AEA Technology, Harwell.

Allan J.D. *et al.* (2003) Quantitative sampling using an aerodyne aerosol mass spectrometer. Part 2: Measurements of fine particulate chemical composition in two UK cities. *J. Geophys. Res.* **108**, 4091.

Allen A.G., Harrison R.M. & Erisman J.W. (1989) Field measurements of the dissociation of ammonium nitrate and ammonium chloride aerosols. *Atmospher.* Env. **23**, 1591–1599. Allen, G. *et al.* (1997) Evaluation of the TEOM method for measurement of ambient

particulate mass in urban areas. J. Air Waste Management Assoc. **47**, 682–689. Anderson, H. R. et al. (2001) Particulate matter and daily mortality and hospital admissions in the west midlands conurbation of the United Kingdom: associations with fine and coarse particles, black smoke and sulphate. *Occup. Environ. Med.* **58**, 504–510.

Andersson, J.D. (2002) *UK Particle Measurement Programme: Heavy Duty Methodology Development*. Report DP02/2493. Ricardo Consulting Engineers. (Available from:

http://www.ricardo.com/chemistry/UK \_PMP\_HD\_Programme\_Phase1.pdf)

APEG (1999) Source Apportionment of Airborne Particulate Matter in the United Kingdom. Department of Environment, Transport and the Regions, London.

AQEG (2004) *Nitrogen Dioxide in the United Kingdom*. Department for Environment, Food and Rural Affairs, Scottish Executive, Welsh Assembly Government and Department of the Environment in Northern Ireland.

Arnold, S. *et al.* (2004) Introduction to the DAPPLE Air Pollution Project. *Sci. Total Environ.* **332**,139–153. Ayers, G.P., Keywood, M.D. & Gras, J.L. (1999) TEOM vs. manual gravimetric methods for determination of PM<sub>2.5</sub> aerosol mass concentrations. *Atmosphere. Env.* **33**, 3717–3721.

Ayers, G.P. (2001) Comment on regression analysis of air quality data. *Atmospher. Env.* **35**, 2423–2425.

Bagley, S.T. *et al.* (1996) *Characterization of Fuel and After treatment Device Effects on Diesel Emissions*. Research Report No. 76. Health Effects Institute, Cambridge, MA, USA.

Bagnold, R.A. (1941) The Physics of Blown Sand and Desert Dunes. Mettinen, London.

Barlow, T.J., Hickman, J. & Boulter, *P. Exhaust Emission Factors 2001: Database and Emission Factors*. TRL Report PR/SE/230/00. Transport Research Laboratory, Crowthorne.

Barratt, B. *et al*. (2004) The air pollution effects of implementing the Congestion Charging Scheme in London. (In preparation.)

Baumgard, K.J. & Johnson, J.H. (1996) *The Effect of Fuel and Engine Design on Diesel Exhaust Particle Size Distributions*. SAE technical paper number 960131.

Beddows D.C. *et al.* (2004) Correlations in the chemical composition of rural background atmospheric aerosol in the UK determined in real time using time-of-flight mass spectrometry. *J. Environ. Monit.* **6**, 124–133.

Beevers, S.D. & Carslaw, D.C. (2005) The impact of congestion charging on vehicle emissions in London. *Atmosphere. Env.* **39**, 1–5.

Benson, P.E. (1979) *CALINE3: A Versatile Dispersion Model for Predicting Air Pollutant Levels Near Highways and Arterial Streets.* Interim report number FHWA/CA/TL-79/23. Federal Highway Administration, Washington, DC, USA (NTIS No. 80-220841).

Beverland, I.J. et al. (2002) The Metal Content of Airborne Particles in Edinburgh: Application to Epidemiology. Department of Health, London.

Bexley Borough Council (2003) Manor Road Air Quality Management Area: Stage 4 Review and Assessment of Local Air Quality and Air Quality Management Plan. (Available from: http://www.bexley.gov.uk/service/publicprotection/airmonitoring-reports.html)

Birmili, W. (1999) *Production of New Ultrafine Aerosol Particles in Continental Air Masses*. PhD thesis, Leipzig, Germany.

Birmili, W. & Wiedensohler, A. (2000) New particle formation in the continental boundary layer: meteorological and gas phase parameter influence. *Geophys. Res. Lett.* **27**, 3325–3328.

Blair, J.W., Johnson, K.L. & Carruthers, D.J. (2003) Modelling Air Quality for London Using ADMS-Urban. TR-0314. Cambridge Environmental Research Consultants, Cambridge.
Boulter, P.G., Hickman, A.J. & McCrae, I.S. (2003) The DMRB Air Quality Screening Method (Version 1.02): Calibration Report. Project report PR SE/4029/03. TRL Limited, Crowthorne.
Brooke, D. & Wright, R. (2002) Measurements of the Contribution of a Power Station Plume to Particle Numbers at Ground Level. JEP report ENV/EEA/075/02.

Brown, D.M. *et al.* (2001) Size-dependent pro-inflammatory effects of ultrafine polystyrene particles: A role for surface area and oxidative stress in the enhanced activity of ultrafines, *Toxicol. Appl. Pharmacol.* **175**, 191–199.

Brown, R.C. *et al.* (1995) Field trials of an electret-based passive dust sampler in metalprocessing industries. *Annals Occup. Hygiene* **39**, 603–622.

Brunekreef, B. & Holgate, S.T. (2002) Air pollution and health. *Lancet* **360**, 1233–1242. Buchanan, C.M., Beverland, I.J. & Heal, M.R. (2002) The influence of weather-type and longrange transport on airborne particle concentrations in Edinburgh, UK. *Atmospher. Env.* **36**, 5343–5354.

Burtscher, H. & Majewski, W.A. (2004) *Exhaust Gas Sampling: Dieselnet Technology Guide. Measurement of Emissions*. Ecopint Inc.

Byun, D. W. & Ching, J.K.S. (eds) (1999) *Science Algorithms of the EPA Models-3 Community Multiscale Air quality (CMAQ) Modelling System*. USEPA report number EPA/600/R-99/030. CAFE (2004) Second position paper on particulate matter. Final draft. (Available from: http://europa.eu.int/comm/environment/air/cafe/pdf/working\_groups/2nd\_position\_paper\_pm .pdf). Clean Air for Europe Working Group on Particulate Matter.

Carruthers, D.J., Blair, J.W. & Johnson, K.L. (2002) Validation and Sensitivity Study of ADMS-Urban for London. TR-0191.Cambridge Environmental Research Consultants, Cambridge. Carslaw, D.C., Beevers, S.D. & Fuller, G. (2001) An empirical approach for the prediction of annual mean nitrogen dioxide concentrations in London. *Atmosphere. Env.* **35**, 1505–1515. Casella Stanger and the Division of Environmental Health and Risk Assessment, University of Birmingham (2004) *Intercomparison Between the TEOM Analyser and the European Reference Sampler for the Determination of PM*<sub>10</sub> concentrations. Casella Stanger (CS/AQ/AD102099/SM/1868).

Cawse, P.A. *et al.* (1994) *A Survey of Atmospheric Trace Elements in Great Britain. 1971–1991.* Report number AEA/CS/18358008/REMA-039. AEA Technology, Oxford. CEH (2003) UK National Monitoring Networks. CEH Edinburgh and Centre for Ecology and Hydrology and the Natural Environment Research Council. (Available from: http://www.nbu.ac.uk/cara/networks.htm.)

CEPMEIP (2001) Co-ordinated European Programme on Particulate Matter Emission Inventories, Projections and Guidance. TNO-MEP. (Available from: www.air.sk/tno/cepmeip/) Charron, A. & Harrison, R.M. (2004) Personal communication. Chester, R. *et al.* (2000) Trace metal chemistry of particulate aerosols from the UK mainland and coastal rim of the NE Irish Sea. *Atmosphere. Env.* **34**, 949–958,

Clarke, R.W. *et al.* (1999) Urban air particulate inhalation alters pulmonary function and induces pulmonary inflammation in a rodent model of chronic bronchitis. *Inhalat. Toxicol.* **11**, 637–656.

Cocks, A.T. et al. (2003) The Performance of Models-3 for Deposition and Atmospheric Concentrations Over a Year. Environment Agency R&D Technical Report.

Coleman P. *et al.* (2001) Assessment of Benzo[a]pyrene Atmospheric Concentrations in the UK to Support the Establishment of a National PAH Objective. AEAT/ENV/R/0620. AEA Technology, Harwell.

Colvile, R.N. *et al.* (2002) Uncertainty in dispersion modelling and urban air quality mapping. *Environ. Sci. Policy* **5**, 207–220.

COM (2002) Communication from the Commission to the European Parliament and the Council: A European Union strategy to reduce atmospheric emissions from seagoing ships Brussels, 20.11.2002. COM(2002) 595 Final Volume I.

COMEAP (1998) The Quantification of the Effects of Air Pollution on Health in the United Kingdom. HMSO, London.

COMEAP (2001) Statement on long-term effects of particles on mortality. (Available from: http://www.advisorybodies.doh.gov.uk/comeap/)

Cyrys, J. *et al.* (2001) PM<sub>2.5</sub> measurements in ambient aerosol: comparison between Harvard impactor (HI) and the tapered element oscillating microbalance (TEOM) system. Scl. *Total Env.* **278**, 191–197.

Defra (2003) Digest of Environmental Statistics. (Available from:

http://www.defra.gov.uk/environment/statistics/des/index.htm)

DfT (2002) Transport Statistics Great Britain, 2002 ed. Department for Transport, October 2002. See also "The way forward: the final report of the Cleaner Vehicles Task Force" at http://www.dft.gov.uk/stellent/groups/dft\_roads/documents/page/dft\_roads\_506887.hcsp Dick, C.A.J. *et al.* (2003) The role of free radicals in the toxic and inflammatory effects of four different ultrafine particle types. *Inhalation Toxicol.* **15**, 39–52.

Di Sabatino, S. *et al.* (2003) The modelling of turbulence from traffic in urban dispersion models: theoretical considerations. *Env. Fluid Mech.* **3**, 129–143.

Dolan, J.F., Schattanek, G. & Wan, P.K. (2000) *Results of an Extensive Multi-year PM*<sub>10</sub> Monitoring and Field Inspection Program for the Construction of the Central Artery/Tunnel Project. Presented at 93rd Annual AWMA Meeting, June 18–22, 2000.

Dore, C.J. et al. (2003) Mapping of Biogenic VOC Emissions in England and Wales. Environment Agency Report E1-122/TR. Environment Agency, Bristol, UK.

Dore, C.J. et al. (2003) UK Emissions of Air Pollutants 1970–2001. National Atmospheric Emissions Inventory. Netcen AEAT/ENV/R/1593.

Doyle, M. & Dorling, S. (2002) Visibility trends in the UK 1950–1997. *Atmosphere. Env.* **36**, 3161–3172.

Doyle M. (2004) The changing visual and air quality resource in Northwest Europe, In-situ and remote measurements. PhD thesis, University of East Anglia, Norwich.

Dragositis, U. *et al.* (1998) Modelling the spatial distribution of ammonia emissions in the UK. *Environ. Poll.* **102**, 195–203.

Dti (2000) *Energy Projections for the UK*. Energy Paper 68. The Stationery Office, London. Easter, R.C. & Peters, L.K. (1994) Binary homogeneous nucleation: temperature and relative humidity fluctuations, nonlinearity, and aspects of new particle production in the atmosphere. *J. Appl. Meteorol.* **33**, 775–784.

EC Working Group on Equivalence (2003) *Demonstration of Equivalence of Ambient Air Monitoring Methods* (N20 Rev 5.2).

EC Working Groups on Guidance for the Demonstration of Equivalence (2004) *Equivalence* of *Ambient Air Monitoring Methods*. Final draft. (Available from:

www.europa.eu.int/comm/environment/air/pdf/equivalence\_report.pdf).

EC Working Group on Particulate Matter (2001) *Guidance to Member States on PM*<sub>10</sub> Monitoring and Intercomparisons with the Reference Method. (Available from: http://europa.eu.int/comm/environment/air/pdf/finalwgreporten.pdf)

EEA (2000) COPERT III: Computer Programme to Calculate Emissions from Road Transport – Methodology and Emission Factors (Version 2.1). Technical Report No. 49. European Topic Centre on Air Emissions.

EIPPCB (2000) Integrated Pollution Prevention and Control (IPPC): Reference Document on Best Available Techniques in the Glass Manufacturing Industry. EIPPCB.

EMEP (2003) Transboundary Acidification, Eutrophication and Ground Level Ozone in Europe. Status report 1/2003.

EMEP/CORINAIR (1999) *Atmospheric Emission Inventory Guidebook* (edn 2). European Environment Agency, Copenhagen, Denmark.

EMEP/CORINAIR (2004) EMEP/CORINAIR Emission Inventory Guidebook (edn 3).

European Environment Agency, Copenhagen, Denmark.

Entec (2002) European Commission Quantification of Emissions from Ships Associated with Ship Movements between Ports in the European Community. Final Report July 2002. Entec UK Limited.

Environment Agency (2003) Pollution Inventory.

Environment Canada (2003) 2001 National Summary of Ozone and PM<sub>2.5</sub>. Report prepared for the Joint Action Implementation Co-ordinating Committee. Environment Canada. EPAQS (2001) Airborne Particles: What is the Appropriate Measurement on Which to Base a

Standard? Department of Health, London.

EPEFE (1995) European Programme on Emissions, Fuels and Engine Technologies. ACEA, EUROPIA Report.

European Commission (2000) AUTO-OIL II Program. (Available from:

europa.eu.int/comm/environment/autooil/)

European Committee for Standardisation (CEN) (1999) Air Quality – Determination of the PM<sub>10</sub> Fraction of Suspended Particulate Matter. Reference method and field test procedure to demonstrate equivalence of measurement methods. (Available through BSI as BS EN12341.) Finlayson-Pitts, B. & Pitts J.N. (1999) Chemistry of the Upper and Lower Atmosphere: Theory, Experiments and Applications. Academic Press, London.

Forstner, H.J.L., Flagan, R.J. & Seinfeld J.H. (1997) Secondary organic aerosol from the photooxidation of aromatic hydrocarbons: molecular composition *Environ. Sci. Technol.* **31**, 1345–1358.

Fournier, N. *et al.* (2004) Modelling the deposition of atmospheric oxidised nitrogen and sulphur to the United Kingdom using a multi-layer long-range transport model. *Atmospher. Env.* **38**, 683–694.

Fraser, M.P. *et al.* (2003) Separation of fine particulate matter emitted from gasoline and diesel vehicles using chemical mass balancing techniques. *Environ. Sci. Technol.*, **37**, 3904–3909.

Fuchs, N.A. (1964) Mechanics of Aerosol. Pergamon, Tarrytown, NY, USA.

Fuller, G. (2003) *Air Quality in London 2003 Preliminary Report February 2004.* (Available from: http://www.erg.kcl.ac.uk/london/htm/AirQualityInLondon2003preliminaryReport.pdf) Fuller, G.W. & Green, D. (2004) The impact of local fugitive PM<sub>10</sub> from building works and road works on the assessment of the European Union Limit Value. *Atmospher. Env.* **38** 4993–5002.

Fuller, G., Carslaw, D.C. & Lodge, H.W. (2002) An empirical approach for the prediction of daily mean PM<sub>10</sub> concentrations. *Atmosphere. Env.* **36** 1431–1441.

Garg, B.D. et al. (2000) Brake wear particulate emissions. Environ. Sci. Technol. 34, 4463–4469.

Gehrig, R. & Buchmann, B. (2003) Characterising seasonal variations and spatial distribution of ambient  $PM_{10}$  and  $PM_{2.5}$  concentrations based on long-term Swiss monitoring data. *Atmospher. Env.* **37**, 2571–2580.

Ghio, A.J., Kim, C. & Devlin, R.B. (2000) Concentrated ambient air particles induce mild pulmonary inflammation in healthy human volunteers. *Am. J. Resp. Crit. Care Med.* **162**, 981–988.

Glasius, M. *et al.* (2000) Carboxylic acids in secondary aerosols from the oxidation of cyclic monoterpenes by ozone. *Environ. Sci. Technol.* **34**, 1001–1010.

Gomez-Perales, J.E., Colvile, R.N. & Nieuwenhuijsen, M.H. (2003) Use of dispersion modelling to assess road-user exposure to PM<sub>2.5</sub> and its source apportionment. *Atmospher. Env.* **37**, 2773–2782.

Goodwin, J.W.L. *et al.* (2001) *The UK Emissions of Air Pollutants 1970–1999*. Netcen, AEA Technology Report AEAT/ENV/R/0798. Department for Environment, Food and Rural Affairs, London.

Green, D., Fuller, G. & Barratt, B. (2001) Evaluation of TEOM correction factors for assessing the EU stage 1 limit values for PM<sub>10</sub>. *Atmospher. Env.* **35**, 2589–2593.

Griffiths, S.J. & Hill T. (2000) The Chemistry of Nitrogen Species in Power Station Plumes. JEP report PT/00/EA770/R.

Griffiths, S.J., Hill, T. & Choularton, T. (2002) *Measurements of Ultra fine Particulate in Power Station and Urban Plumes*. JEP report PT/02/BE474/R.

Harrison, R.M. & Yin, J.X. (2000) Particulate matter in the atmosphere: which particle properties are important for its effect on health? *Sci. Total Env.* **249**, 85–101.

Harrison, R.M., Jones, A. M. & Lawrence R.G. (2003) A pragmatic mass closure model for airborne particulate matter at urban background and roadside sites. *Atmospher. Env.* **37**, 4927–4933.

Harrison, R.M., Jones, A.M. & Lawrence, R.G. (2004) Major Component Composition of PM<sub>10</sub> and PM<sub>2.5</sub> from Roadside and Urban Background Sites. *Atmospher. Env.* **38**, 4531–4538.

Harrison, R.M. *et al.* (2000) Observations of new particle production in the atmosphere of a moderately polluted site in eastern England. *J. Geophys. Res.* **105**, 17819–17832. Harrison, R.M. *et al.* (2003) A study of trace metals and polycyclic aromatic hydrocarbons in

Harrison, R.M. *et al.* (2003). A study of trace metals and polycyclic aromatic hydrocarbons in the roadside environment. *Atmospher. Env.* **37**, 2391–2402.

Hayman, G. *et al.* (2003) *Operation and Management of UK Acid Deposition Motoring Networks: Data Summary for 2001.* AEAT/ENV/R/0740. (Available from: www.airquality.co.uk) Heal, M.R. *et al.* (2004) Total and water-soluble trace metal content of urban background PM<sub>10</sub>, PM<sub>25</sub> and black smoke in Edinburgh, UK. *Atmospher. Env.* (Submitted).

HEI (2000) Reanalysis Of The Harvard Six-Cities Study And The American Cancer Study Of Air Pollution And Mortality: A Special Report Of The Insitute's Particle Epidemiology Reanalysis Project. Health Effects Institute, Cambridge.

Heywood, J.B. (1988) *Internal Combustion Engine Fundamentals*. McGraw-Hill, London. Hickman, A.J. *et al.* (2002) Measurements of roadside air pollution dispersion. Project report, PR SE/445/02. TRL Limited Crowthorne.

Hinds, W.C. (1999) *Aerosol Technology: Properties, Behavior and Measurement of Airborne Particles*. (edn 2) Wiley Interscience, Chichester.

Hjellbrekke, A.-G. et al. (1997) Data Report-1995. Part 1: Annual Summaries. EMEP/CCC-Report 4/97. Norwegian Institute for Air Research, Kjeller, Norway.

Ho, K.F. *et al.* (2003) Characterization of  $PM_{10}$  and  $PM_{2.5}$  source profiles for fugitive dust in Hong Kong. *Atmospher. Env.* **37**, 1023–1032.

Hoek, G. *et al.* (2002) Association between mortality and indicators of traffic-related air pollution in the Netherlands: a cohort study. *Lancet* **360**, 1203–1209.

Hopke, P.K. (1985) *Receptor Modelling in Énvironmental Chemistry*. Wiley-Interscience, Chichester.

Hussein, T. *et al.* (2004) Urban aerosol number size distributions. *Atmospher. Chem.* Physics **4**, 391–411.

IPCC (2000) Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories. Intergovernmental Panel on Climate Change.

IPCC (Intergovernmental Panel on Climate Change) Working Group (2001) *Climate Change 2001: The Scientific basis*. Cambridge University Press, Cambridge.

Jang, M. & Kamens, R.M. (2001) Characterization of secondary aerosol from the photooxidation of toluene in the presence of NO<sub>X</sub> and 1-propene. *Environ. Sci. Technol.* **35**, 3626–3639.

Jang M. *et al.* (2002) Heterogeneous atmospheric aerosol production by acid-catalysed particle-phase reactions. *Science* **298**, 814–817.

Janssen, N.A.H. *et al.* (1997) Mass concentration and elemental composition of airborne particulate matter at street and background locations. *Atmospher. Env.* **31**, 1185–1193. Jantunen, M.J. *et al.* (1998) Air pollution exposure in European cities: The "EXPOLIS" study. *J. Exposure Analysis Environ. Epidemiol.* **8**, 495–518.

Johnson, K.L., Blair, J.W. & Carruthers, D.J. (2004) *Modelling PM*<sub>2.5</sub> for London using ADMS-Urban. Report number TR-0444. Cambridge Environmental Research Consultants, Cambridge.

Katsouyanni, K. *et al.* (2001) Confounding and effect modification in the short-term effects of ambient particles on total mortality: Results from 29 European cities within the APHEA2 project. *Epidemiology* **12**, 521–531.

Kavouras, I.G., Mihalopolous, N. & Stephanou, E.G. (1999) Secondary organic aerosol formation vs primary organic aerosol emission: in situ evidence for the chemical coupling between monoterpene acidic photooxidation products and new particle formation over forests. *Env. Sci. Technol.* **33**, 1028–1037.

Kent, A. & Willis P.G. (2001) *UK Air Quality Forecasting Annual Report 2001*. Report number AEAT/ENV/R/1027. AEA Technology, Harwell.

Kent, A.L.& Wilkes, P. (2004) Port Talbot PM<sub>10</sub> Concentrations, November 2001. Unpublished AEAT report

Kerminen, V.-M., Pirjola, L. & Kulmala, M. (2001) How significantly does coagulational scavenging limit atmospheric particle production? *J. Geophys. Res.* **106**, 24119–24125. Kittelson, D.B. (1998) Engines and Nanoparticles: A Review. *J. Aerosol Sci.* **29**, 575–588. Kittelson, D.B. (2000) Nanoparticle Emissions from Internal Combustion Engines. Presented at The Royal Society Discussion Meeting on Ultra Fine Particles in the Atmosphere, London, 15 March 2000.

Kittelson, D. & Abdul-Khalek, I. (1998) Nanoparticle formation during exhaust dilution. Second ETH Workshop on Nanoparticle Measurement, Zurich, 7 August 1998.

Kittelson, D.B., Arnold, M. & Watts, W.F. (1999) *Review Of Diesel Particulate Matter Sampling Methods*. Final report. University of Minnesota, Centre for diesel engine research. Minneapolis, MN. (Available from:

http://www.me.umn.edu/centres/cdr/reports/EAPreport3.pdf)

Kittelson, D.B. (2000). Nanoparticle Emissions from Internal Combustion Engines. Presented to The Roayl Society Discussion Meeting on Ultra Fine Particles in the Atmosphere, London, 15 March 2000.

Kittelson, D., Watts, W. & Johnson, J. (2002) *Diesel Aerosol Sampling Methodology - CRC E-43* Final report. University of Minnesota Department of Mechanical Engineering, Minneapolis, MN.

Kleindienst, T.E. *et al.* (1999) Secondary organic aerosol formation from the oxidation of aromatic hydrocarbons in the presence of dry submicron ammonium sulfate aerosol. *Atmospher. Env.* **33**, 3669–3681.

Korhonen, P. *et al.* (1999) Ternary nucleation of  $H_2SO_4$ ,  $NH_3$ , and  $H_2O$  in the atmosphere. J. Geophys. Res. **104**, 26349–26353.

Kreyling, W.G. *et al.* (2003) Diverging long-term trends in ambient urban particle mass and number concentrations associated with emission changes caused by the German unification. *Atmospher. Environ.* **37**, 3841–3848.

Kuckelmann, U., Warscheid, B. & Hoffman, T. (2000) On-line characterization of organic aerosols formed from biogenic precursors using atmospheric pressure chemical ionization

mass spectrometry. Analyt. Chem. 72, 1905–1912.

Kulmala, M., Pirjola, L. & Makela, J.M. (2000) Stable sulphate clusters as a source of new atmospheric particles. *Nature* **404**, 66–69.

Laden, F. *et al.* (2000) Association of fine particulate matter from different sources with daily mortality in six US cities. *Environ. Health Perspect.* **108**, 941–947.

LAEI (2001) London Atmospheric Emissions Inventory. The Greater London Authority.

Latham, S. *et al.* (2001) Assessment of primary  $NO_2$  emissions, hydrocarbon speciation and particulate sizing on a range of road vehicles. Unpublished Report number

PR/SE/353/2001TRL. Transport Research Laboratory, Crowthorne.

Laxen, D. (2004) Personal communication.

Lightbody, J.H. *et al.* (2003) *The Influence of Particle Composition and Size on In Vitro and In Vivo Biological Models*. Final report EPG1/3/147. Department for the Environment, Food and Rural Affairs, London.

Lim, L.H. (1999) Concentrations, Phase Distribution and Source Apportionment of Polycyclic Aromatic Hydrocarbons in Urban Air. PhD Thesis, University of Birmingham.

Luhana, L. et al. (2004) Non-exhaust Particulate Measurements: Results. Deliverables of the EU 5FP project PARTICULATES. TRL Limited, Crowthorne.

Maynard, A. D. and Maynard, R. L. (2002) A derived association between ambient aerosol surface area and excess mortality using historic time series data, Atmos. Environ. **36**, 5561–5567

McHugh, C.A., Carruthers, D. J. and Edmunds, H.A, 1997. ADMS and ADMS-Urban. *Int. J. Env. Poll.* **8**, 437–440.

Misselbrook, T.H. et al. (2003) Inventory of Ammonia Emissions from UK Agriculture. Inventory Submission Report. Department of the Environment, Food and Rural Affairs, London

Moon, D.P. & Donald, J.R. (1997) *UK Research Programme On The Characterization Of Vehicle Particulate Emissions. A Report Produced For DETR And SMMT*. ETSU report ETSU-R98, Harwell.

Nalparis, P., Hunt, J.C.R. & Barrett, C.E. (1993) Salting particles over flatbeds. *J. Fluid Mech.* **251**, 661.

Neath Port Talbot CBC (2000) Review and Assessment of Air Quality, February 2000. (Available from: www.neath-porttalbot.gov.uk)

Nemmar, A. *et al.* (2002) Passage of inhaled particles into the blood circulation in humans. *Circulation* **105**, 411–414.

Netcen (2003) *Site Operators Manual, Automatic Urban and Rural Network*. Report number AEAT/ENV/R/1595. (Available from:

http://www.aeat.co.uk/netcen/airqual/reports/lsoman/lsoman.html)

Nicholson (2000) *Re-Suspension From Roads: Initial Estimate Of Emission Factors*. AEAT Internal Report.

Nightingale, J.A. *et al.* (2000) Airway inflammation after controlled exposure to diesel exhaust particulates. *Am. J. Respir. Crit. Care Med.* **162**, 161–166.

Nilsson, E.D. & Kulmala, M. (1998) The potential for atmospheric mixing processes to enhance the binary nucleation rate. *J. Geophys. Res.* **103**, 1381–1389.

Ntziachristos, L. & Samaras, Z. (2003) New directions: emerging demands for vehicle particle emission characterisation. *Atmospher. Env.* **37**, 441–442.

Ntziachristos, L. *et al.* (2004a) *Performance Evaluation of a Novel Sampling and Measurement System for Exhaust Particle Characterization*. SAE paper 04FL-115. Society of Automotive Engineers.

Ntziachristos, L. et al. (2004b) Overview of the European "Particulates" Project on the Characterization of Exhaust Particulate Emissions from Road Vehicles: Results for Light-Duty Vehicles. Results from the EU PARTICULATES project. SAE paper 2004-01-1985.

Nyberg, F. *et al.* (2000) Urban air pollution and lung cancer in Stockholm. *Epidemiology* **11**, 487–495.

O'Dowd C.D. *et al.* (2002) Atmospheric particles from organic vapours. *Nature* **416**, 497–498.

Odum, J.R. *et al.* (1996) Gas/particle partitioning and secondary organic aerosol yields. *Environ. Sci. Technol.* 30, 2580–2585.

Odum, J.R. *et al.* (1997) Aromatics, Reformulated Gasoline, and Atmospheric Organic Aerosol Formation. *Environ. Sci. Technol.* **31**, 1890–1897.

Official Journal (1998) Directive 97/68/EC of the European Parliament and of the Council on approximation of the laws of the Member States relating to measures against the emissions of gaseous and particulate pollutants from internal combustion engines to be installed in non-road mobile machinery. Official Journal of the European Communities, OJ L59, 1998. RIVM (2002) On Health Risks of Ambient PM in the Netherlands. RIVM.

Official Journal (1999) Directive 1999/96/EC Of The European Parliament And Of The Council On Approximation Of The Laws Of The Member States Relating To Measures To Be Taken Against The Emissions Of Gaseous And Particulate Pollutants From Compression Ignition Engines For Use In Vehicles, And The Emissions Of Gaseous Pollutants From Positive Ignition Engines Fuelled With Natural Gas Or Liquefied Petroleum Gas For Use In Vehicles. Official Journal of the European Communities, OJ L44, 1999.

Official Journal (2000) Directive 2000/25/EC Of The European Parliament And Of The Council Of 22 May 2000 On Action To Be Taken Against The Emission Of Gaseous And Particulate Pollutants By Engines Intended To Power Agricultural Or Forestry Tractors And Amending Council Directive 74/150/EEC. Official Journal of the European Communities, OJ L173, 2000. Official Journal (2001) Directive 2001/81/EC Of The European Parliament And Of The Council On National Emissions Ceilings For Certain Atmospheric Pollutants. Official Journal of the European Communities.

Ottley, C.J. & Harrison, R.M. (1992) The spatial distribution and particle size of some inorganic nitrogen, sulphur and chlorine species over the North Sea. *Atmospher. Environ.* **26**, 1689–1699.

Passant, N.P. (2003) *Estimation of Uncertainties in the National Atmospheric Emissions Inventory.* Report number AEAT/ENV/R/1039. Department for Environment, Food and Rural Affairs, the National Assembly of Wales, the Scottish Executive and the Department of Environment in Northern Ireland.

Passant, N.R. et al. (2002) UK Particulate and Heavy Metal Emissions from Industrial Processes. Report No AEAT-6270 Issue 2. AEA Technology, Harwell.

Patashnick, H. & Rupprecht, E.G. (1991) Continuous PM<sub>10</sub> measurement using the Tapered Element Oscillating Microbalance. *J. Air Waste Manag. Assoc.* **41**, 1079–1083.

Physick, W.L. & Maryon, R.H. (1995) *Near-Source Turbulence Parametrization In The NAME Model*. UK Met Office Turbulence and Diffusion Note 218. Met Office, Bracknell. Pilkington Glass Ltd (2003) Personal Communication.

Pope, C.A. *et al.* (2002) Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particulate air pollution. *J. Am. Med. Assoc.* **287**, 1132–1141.

Prescott, G.J. *et al.* (1998) Urban air pollution and cardiopulmonary ill health: a 14.5 year time series study. *Occup. Environ. Med.* **55**, 697–704.

Prospero, J.M., Glaccum, R.A. & Nees, R.T. (1981) Atmospheric transport of soil dust from Africa to south America. *Nature* **289**, 570–572.

QUARG (1996) *Airborne Particulate Matter in the United Kingdom*. Department of Environment, London.

Rajkumar, W.S. & Siung Chang, A. (2000) Suspended particulate matter concentrations along the east west corridor, Trinidad, West Indies. *Atmospher. Env.* **34**, 1181–1187.

Redington, A.L. *et al.* (2001) *Pollution Of The Urban Midlands Atmosphere: Development Of An 'Urban Airshed' Model For The West Midlands*. Hadley Centre Technical Note 31. Met Office, Bracknell. (Available from:

http://www.metoffice.com/research/hadleycentre/pubs/HCTN/index.html)

RGAR (1990) Deposition in the United Kingdom (1986–1988). The Third Report of the Review Group on Acid Rain. ISBN 0-85624-650-6.

Rodriguez, S. *et al.* (2001) Saharan dust contributions to PM<sub>10</sub> and TSP levels in southern and eastern Spain. *Atmospher. Env.* **35**, 2433–2447.

Roemer, W.H. & van Wijnen, J.H. (2001) Daily mortality and air pollution along busy streets in Amsterdam, 1987-1998. *Epidemiology* **12**, 649–653.

Ruellan, S. & Cachier, H. (2001) Characterisation of fresh particulate vehicular exhausts near a Paris high flow road. *Atmospher. Env.* **35**, 453–468.

Ryall, D.B. & Maryon, R.H. (1998) Validation of the UK Met. Office's NAME model against the ETEX dataset *Atmospher. Env.* **32**, 4265–4276.

Ryall, D.B. *et al.* (2002) The origin of high particulate concentrations over the United Kingdom, March 2000. *Atmospher. Env.* **36**, 1363–1378.

Salmi, T. et al. (2002) Detecting Trends of Annual Values of Atmospheric Pollutants by the Mann-Kendall Test and Sen's Slope Estimates - The Excel template application MAKESENS. Publications on Air Quality No. 31. Report Code FMI-AQ-31, Finnish Meteorological Institute, Helsinki, Finland.

Salter, L.F. & Parsons, B. (1999) Field trials of the TEOM and Partisol for PM<sub>10</sub> monitoring in the St Austell china clay area, Cornwall, UK., *Atmospher. Env.* **33**, 2111–2114.

Schauer, J.J. *et al.* (1996) Source apportionment of airborne particulate matter using organic compounds as tracers. *Atmospher. Environ.* 30, 3837 3855.

Schlesinger, R.B. & Cassee, F. (2003) Atmospheric secondary inorganic particulate matter: The toxicological perspective as a basis for health effects risk assessment. *Inhal. Toxicol.* **15**, 197–235.

Seaton, A. *et al.* (1995) Particulate air-pollution and acute health-effects. *Lancet* **345**, 176–178.

Seinfeld, J.H. & Pankow, J.F. (2003) Organic atmospheric particulate material. A. Rev. Phys. Chem. **54**, 121–140.

SENCO (2000) *Emissions Effects and Costs of Sulphur Free Petrol and Diesel*. Department of Trade and Industry, London.

Simpson, D. *et al.* (1999) Inventorying emissions from nature in Europe. *J. Geophys. Res.* **104**, 8113–8152.

Smith, R.I. *et al.* (2003) Regional estimation of pollutant gas dry deposition in the UK: model description, sensitivity analysis and outputs. *Atmosphere. Env.* **34**, 3757–3777.

Soutar, A. (1999) Comparison between a personal PM<sub>10</sub> sampling head and the tapered element oscillating microbalance (TEOM) system. *Atmospher. Env.* **33**, 4373–4377.

Stedman, J.R. (2001) *Baseline PM<sub>10</sub> And NO<sub>x</sub> Projections For PM<sub>10</sub> Objective Analysis*. Report number AEAT/ENV/R/0726. AEA Technology, Harwell.

Stedman, J.R., Bush, T.J. & Vincent, T.J. (2002) UK Air Quality Modelling For Annual Reporting 2001 On Ambient Air Quality Assessment Under Council Directives 96/62/EC And 1999/30/EC. Report number AEAT/ENV/R/1221. AEA Technology, Harwell.

Stedman, J.R. et al. (2003) UK Air Quality Modelling For Annual Reporting 2002 On Ambient Air Quality Assessment Under Council Directives 96/62/EC And 1999/30/EC. Report number AEAT/ENV/R/1564.AEA Technology, Harwell.

Stein, H.J. (2001) *Worldwide Harmonized Heavy Duty Emissions Certification Procedure, Exhaust Emission Measurement*. ISO 2nd interim report. ECE-GRPE WHDC subgroup ISO activities. (Available from: http://www.unece.org/trans/doc/2001/wp29grpe/TRANS-WP29-GRPE-41-inf03.pdf)

Sternbeck, J., Sjödin, A. & Andréasson, K. (2002) Metal emissions from road traffic and the influence of resuspension – results from two tunnels studies. *Atmospher. Env.* **36**, 4735–4744.

Stevenson, C.M. (1969) The dust fall and severe storms of 1968. Weather 126–132. Suutari, R. et al. (2001) Economic Activities to Critical Load Exceedences in Europe – An

Uncertainty Analysis of Two Scenarios of the RAINS Integrated Assessment Model. IIASA Interim Report No. IR-01-020, May 2001.

Symonds Group Ltd (2004) Personal communication.

TfL (2003) Congestion Charging 6 Months On. Transport for London, London. Thompson, N. et al. (2004) Overview of the European "Particulates" Project on the Characterization of Exhaust Particulate Emissions from Road Vehicles: Results for Heavy Duty Engines. Results for Light-Duty Vehicles. Results from the EU PARTICULATES project. SAE paper 2004-01-1986.

TNO (1997) Particulate matter emissions (PM10, PM2, 5, PM0, 1) in Europe in 1990 and 1993. TNO Institute of Environmental Sciences, Energy Research and Process Innovation, Apeldoorn, The Netherlands.

Tsyro, S. (2002) *First Estimates Of The Effects Of Aerosol Dynamics In The Calculation Of*  $PM_{10}$  *And*  $PM_{2.5}$ . EMEP report EMEP/MEC-W Note 4/2002, Norwegian Meteorological Institute Research Note no 76.

UKOOA (United Kingdom Offshore Operators Association) (2002) Personal Communication. USEPA (1995) *Compilation of Air Pollutant Emission Factors*. USEPA Report AP-42, Volume I, 5th edition. USEPA.

USEPA (1997) *Compilation of Air Pollutant Emission Factors*. USEPA Report AP-42, Volume I, 5th edition. USEPA. Updated on website November 2000 (Available from: www.epa.gov) USEPA (2004) *Air Quality Criteria for Particulate Matter*. Fourth External Review Draft number 600/P-99/002. USEPA. (Available from: http://cfpub.epa.gov/ncea/cfm/partmatt.cfm) Wagner, J. & Leith, D. (2001) Field tests of a passive aerosol sampler. *J. Aerosol Sci.* **32**, 33–48.

Watkiss, P. et al. (2003) London Low Emission Zone Feasibility Study. Phase II. Final Report to the London Low Emission Zone Steering Group. AEA Technology, Harwell.

Webb, A. et al. (2001) PM<sub>10</sub> Concentrations Around Power Stations. JEP report number ENV/EEA/044/2001.

Webb, A., Brown, K. & Hollingsworth, X. (2002) *Particulate Monitoring At JEP Company Sites During 2001*. JEP report number ENV/EEA/079/2002.

WHO (2000) *Air Quality Guidelines For Europe*. WHO Regional Publications, European Series, No 91. WHO Regional Office for Europe, Copenhagen.

WHO (2003) *Health Aspects Of Air Pollution With Particulate Matter, Ozone And Nitrogen Dioxide*. Report of WHO Working Group. Report number EUR/03/5042688. World Health Organisation, Copenhagen.

WHO (2004) Meta-Analysis Of Time-Series Studies And Panel Studies Of Particulate Matter (PM) And Ozone ( $O_3$ ) Report number EUR/04/5042688. World Health Organisation, Copenhagen.

Wichmann, H.E. & Peters, A. (2000) Epidemiological evidence of the effects of ultrafine particle exposure. *Phil. Trans. R. Soc. Lond A* **358**, 2751–2768

Williams, M. & Bruckmann, P. (2001) *Guidance To Member States On PM*<sub>10</sub> Monitoring And Intercomparisons With The Reference Method. EC Working Group on Particulate Matter. Wilson, M.R. *et al.* (2002) Interactions between ultrafine particles and transition metals in vivo and in vitro. *Toxicol. Appl. Pharmacol.* **184**, 172–179.

Wright, R. & Cocks, A. (2001) Sulphate formation in power plant plumes. JEP report ENV/EEA/015/2000.

Yamasaki, H., Kuwata, K. & Miyamoto, H. (1982) Effects of ambient-temperature on aspects of airborne polycyclic aromatic hydrocarbons. *Environ. Sci. Technol.* **16**, 189–194.

Yu, J. *et al.* (1999a) Gas phase ozone oxidation of monoterpenes: gaseous and particulate products. *J. Atmosphere. Chem.* **104**, 3555–3568.

Yu, J. *et al.* (1999b) Observation of gaseous and particulate products of monoterpene oxidation in forest atmospheres. *Geophys. Res. Lett.* **26**, 1145–1148.

## **Bibliography**

ApSimon, H.M. Gonzalez del Campo, X. & Adams, H.S. (2001) Modelling long-range transport of primary particulate material over Europe. *Atmosphere. Env.* **35**, 343–352. Baldauf, A. *et al.* (2001) Performance of the portable MiniVol particulate sampler. *Atmospher. Env.* **35**, 6087–6091.

Brear, F. (1999) Diesel exhaust particle emissions: an engine manufacturer's contribution to the debate. *Sci. Total Env.* **235**, 421–422.

Deacon, A.R., *et al.* (1997) Analysis and interpretation of measurements of suspended particulate matter at urban background sites in the United Kingdom. *Sci.Total Env.* **203**, 17–36.

EC (1999) Council Directive 1999/32/EC Of 26 April 1999 Relating To A Reduction In The Sulphur Content Of Certain Liquid Fuels And Amending Directive 93/12/EC. EMEP (2003) Station Report part 1. EMEP.

EURASAP (2002) Workshop On Particles In The Size Range 2.5 To 10 Microns In Urban Areas. 4-6 November 2002, Berlin.

Foreman, W.T. & Bidleman, T.F. (1987) An Experimental System for Investigating Vapor Particle Partitioning of Trace Organic Pollutants. *Env. Sci. Technol.* **21**, 869–875.

Fuller, G. *et al.* (2001). *The Manor Road Pollution Study 2001*. ERG, King's College London. Glasius, M. *et al.* (2000) Carboxylic acids in secondary aerosols from the oxidation of cyclic monoterpenes by ozone. *Env. Sci. Technol.* **34**, 1001–1010.

Hoffmann, T. *et al.* (1997) Formation of organic aerosols from the oxidation of biogenic hydrocarbons. *J. Atmosphere. Chem.* **26**, 189–222.

Iglesias, M. & ApSimon, H.M. (2004) Alternative vehicle technologies and fuels in scenarios for atmospheric emissions in London. *J. Env. Atmospher. Poll. Management* (in press). IIASA (2004) *Two Draft Baseline Scenarios For The Clean Air For Europe (CAFE) Program.* (Available from: www.iiasa.ac.at/rains/CAFE-files/)

IIASA database (2004) RAINS web site: www.iiasa.ac.at/web-apps/tap/RAINSWeb/ Jansz, A. *et al.* (2004) Mass balance and characteristics of particles of road surface origin in roadside air in Bexley, London. Particles in the Size of 2.5 to 10 Microns in Urban Areas Conference. 4-6 November 2002. University of Berlin and the Brandenburg Technical University Cottbus.

Kalberer, M. *et al.* (2004) Identification of polymers as major components of atmospheric organic aerosols. *Science* **303**, 1649–1652.

KCL-ERG (1998) *Particulate Matter Comparison, Marylebone Road*. Kings College London, Environmental Research Group, London.

Kukadia, V., Hall, D.J. & Spanton, A. M. (1998) *The Effects Of Particles From Construction Activity: Analysis Of Data From A Construction Site In Cardiff.* Report number CR 422/98. BRE, Watford.

LAEI (2003) The 2001 London Atmospheric Emissions Inventory. The Greater London Authority.

Manoli, E., Voutsa, D. & Samara, C. (2002) Chemical characterization and source identification/apportionment of fine and coarse air particles in Thessaloniki, Greece. *Atmosphere. Env.* **36**, 949–961.

Mathis, U. & Mohr, M. (2002) *Investigations For The Definition Of Sampling Conditions For The Selected Instrumentation*. Deliverable No. 3 of the PARTICULATES project. EMPA, Switzerland.

Mediavilla-Sahagun, A. & ApSimon, H.M. (2003) Urban scale integrated assessment of options to reduce PM<sub>10</sub> in London towards attainment of air quality objectives. *Atmosphere. Env. 37*, 4651–4665.

Metcalfe, S.E., Whyatt, J.D. & Derwent, R.G. (1995) A comparison of model and observed network estimates of sulphur deposition across Great Britain for 1990 and its likely source attribution. *Quart. J. R. Meteorol. Soc.* **121**, 1387–1411.

Ntziachristos, L. *et al.* (2003) Particle Emissions Characteristics of Different On-Road Vehicles. SAE Paper 2003-01-1888. JSAE 20030087. Society of Automotive Engineers of Japan, Inc. Official Journal (2000) *Directive 2000/25/EC Of The European Parliament And Of The Council Of 22 May 2000 On Action To Be Taken Against The Emission Of Gaseous And Particulate Pollutants By Engines Intended To Power Agricultural Or Forestry Tractors And Amending Council Directive 74/150/EEC*. Official Journal of the European Communities, OJ L173, 2000. Official Journal (1991) *Directive 91/441/EEC Of The European Parliament And Of The Council Relating To Measures To Be Taken Against Air Pollution By Emissions From Motor Vehicles.* Official Journal of the European Communities, OJ L242, 1991.

Official Journal (1998) Directive 97/68/EC of the European Parliament and of the Council on approximation of the laws of the Member States relating to measures against the emissions of gaseous and particulate pollutants from internal combustion engines to be installed in non-road mobile machinery. Official Journal of the European Communities, OJ L59, 1998. RIVM (2002) On Health Risks of Ambient PM in the Netherlands. RIVM.

Shi, J.P., Harrison, R.M. & Brear, F. (1999) Particle size distribution from a modern heavy duty diesel engine. *Sci. Total Env.* **235**, 307–317.

Stedman, J.R., Lineham, E. & Conlan, B. (2001) Receptor Modelling of PM<sub>10</sub> Concentrations at a United Kingdom National Network Monitoring Site in Central London. *Atmosphere. Env.* **35**, 297–304.

Tobias, H.J. & Ziemann, P.J. (2000) Thermal desorption mass spectrometric analysis of organic aerosol formed from reactions of 1-tetradecene and  $O_3$  in the presence of alcohols and carboxylic acids. *Env. Sci. Technol.* **34**, 2105–2115.

UNECE (1999) *Gothenburg Protocol and the Convention on Long-Range Transboundary Air Pollution*. United Nations Economic Commission for Europe. (Available from: http://www.unece.org/env/lrtap)

Upton, S. & Kukadia, V. (2002) Measurements of PM<sub>10</sub> emissions from a construction site: A Case Study. *Clean Air* **32**, 68–71.

Veith, A.G. (1995) Tyre tread wear – the joint influence of compound properties and environmental factors. *Tyre Sci. Technol.* **23**, 212–237.

Warner, L.R. et al. (2001) Non-Exhaust Particulate Emissions From Road Transport: A Literature Review. TRL report PR/SE/213/2000. TRL Limited, Crowthorne.

Warren, R.F. & ApSimon, H.M. (2000) The role of secondary particulates in European emission abatement strategies. *Integr. Assessment* **1**, 63–86.

Yamasaki, H. *et al.* (1992) Effects of ambient temperature on aspects of airborne PAHs. *Env. Sci. Technol.* **16**, 189–194.