

# Appendices

## APPENDIX A: DEFINITION OF NFR CODES AND SECTOR CATEGORIES

Some NFR codes in the table below are not applicable (n/a) to the Devolved Administrations' Air Quality Pollutant Inventory. i.e. the emissions from these NFR codes for all pollutants and all Devolved Administrations are 'zero' across the whole time series, 1990-2010.

The Sector Category "Other" is applied to 1A5b and 7A across all pollutants, as shown in the table below. Additional Sector Categories are included under "Other" for each pollutant. If a Sector Category is insignificant for a pollutant, then it is included within the "Other" category in the tables and graphs of the report. The specific Sector Categories included under "Other" for each pollutant are listed in each chapter of the report.

**Table A1:** Definition of NFR Codes and Sector Categories

<b>NFR Code</b>	<b>NFR Source Description</b>	<b>Sector Category</b>
<b>1A1a</b>	1 A 1 a Public Electricity and Heat Production	Energy Industries
<b>1A1b</b>	1 A 1 b Petroleum refining	Energy Industries
<b>1A1c</b>	1 A 1 c Manufacture of Solid Fuels and Other Energy Industries	Energy Industries
<b>1A2</b>	1 A 2 Manufacturing Industries and Construction	Industrial combustion
<b>1A2a</b>	1 A 2 a Iron and Steel	Industrial combustion
<b>1A2b</b>	1 A 2 b Non-ferrous Metals	Industrial combustion
<b>1A2c</b>	1 A 2 c Chemicals	Industrial combustion
<b>1A2d</b>	1 A 2 d Pulp, Paper and Print	Industrial combustion
<b>1A2e</b>	1 A 2 e Food Processing, Beverages and Tobacco	Industrial combustion
<b>1A2fi</b>	1 A 2 f i Stationary combustion in manufacturing and construction: Other	Industrial combustion
<b>1A2fii</b>	1 A 2 f ii Mobile combustion in manufacturing industries and construction	Industrial combustion
<b>1A3ai(i)</b>	1 A 3 a ii Civil Aviation (International, Landing & Take-Off)	Transport
<b>1A3aii(i)</b>	1 A 3 a ii Civil Aviation (Domestic, Landing & Take-Off)	Transport
<b>1A3b</b>	1 A 3 b Road Transportation	Transport
<b>1A3bi</b>	1 A 3 b i Road Transport, Passenger cars	Transport
<b>1A3bii</b>	1 A 3 b ii Road Transport, Light duty vehicles	Transport
<b>1A3biii</b>	1 A 3 b iii Road Transport, Heavy duty vehicles	Transport
<b>1A3biv</b>	1 A 3 b iv Road Transport, Mopeds & Motorcycles	Transport
<b>1A3bv</b>	1 A 3 b v Road Transport, Gasoline evaporation	Transport
<b>1A3bvi</b>	1 A 3 b vi Road Transport, Automobile tyre and brake wear	Transport
<b>1A3bvii</b>	1 A 3 b vii Road Transport, Automobile road abrasion	Transport
<b>1A3c</b>	1 A 3 c Railways	Transport
<b>1A3dii</b>	1 A 3 d ii National Navigation	Transport
<b>1A3e</b>	1 A 3 e Other (to be specified)	n/a
<b>1A3ei</b>	1 A 3 e i Pipeline compressors	n/a
<b>1A3eii</b>	1 A 3 e ii Other mobile sources and machinery	n/a
<b>1A4a</b>	1 A 4 a Commercial / Institutional Combustion	Commercial, domestic and agricultural combustion

<b>NFR Code</b>	<b>NFR Source Description</b>	<b>Sector Category</b>
<b>1A4ai</b>	1 A 4 a Commercial / Institutional: Stationary	Commercial, domestic and agricultural combustion
<b>1A4b</b>	1 A 4 b Residential	Commercial, domestic and agricultural combustion
<b>1A4bi</b>	1 A 4 b i Residential plants	Commercial, domestic and agricultural combustion
<b>1A4bii</b>	1 A 4 b ii Household and gardening (mobile)	Commercial, domestic and agricultural combustion
<b>1A4c</b>	1 A 4 c Agriculture / Forestry / Fishing	Commercial, domestic and agricultural combustion
<b>1A4ci</b>	1 A 4 c i Stationary	Commercial, domestic and agricultural combustion
<b>1A4cii</b>	1 A 4 c ii Off-road Vehicles and Other Machinery	Commercial, domestic and agricultural combustion
<b>1A4ciii</b>	1A 4 c iii National Fishing	Commercial, domestic and agricultural combustion
<b>1A5a</b>	1 A 5 a Other, Stationary (including Military)	n/a
<b>1A5b</b>	1 A 5 b Other, Mobile (Including military)	Other
<b>1B1</b>	1 B 1 Fugitive Emissions from Solid Fuels	Fugitive
<b>1B1a</b>	1 B 1 a Coal Mining and Handling	Fugitive
<b>1B1b</b>	1 B 1 b Solid fuel transformation	Fugitive
<b>1B1c</b>	1 B 1 c Other (to be specified)	Fugitive
<b>1B2</b>	1 B 2 Oil and natural gas	Fugitive
<b>1B2a</b>	1 B 2 a Oil	Fugitive
<b>1B2ai</b>	1 B 2 a i Exploration Production, Transport	Fugitive
<b>1B2aiv</b>	1 B 2 a iv Refining / Storage	Fugitive
<b>1B2av</b>	1 B 2 a v Distribution of oil products	Fugitive
<b>1B2avi</b>	1 B 2 a vi Other	Fugitive
<b>1B2b</b>	1 B 2 b Natural gas	Fugitive
<b>1B2c</b>	1 B 2 c Venting and flaring	Fugitive
<b>2A</b>	2 A MINERAL PRODUCTS (b)	Industrial processes
<b>2A1</b>	2 A 1 Cement Production	Industrial processes
<b>2A2</b>	2 A 2 Lime Production	Industrial processes
<b>2A3</b>	2 A 3 Limestone and Dolomite Use	Industrial processes
<b>2A4</b>	2 A 4 Soda Ash Production and use	Industrial processes
<b>2A5</b>	2 A 5 Asphalt Roofing	Industrial processes
<b>2A6</b>	2 A 6 Road Paving with Asphalt	Industrial processes
<b>2A7</b>	2 A 7 Other including Non Fuel Mining & Construction (to be specified)	Industrial processes
<b>2A7a</b>	2A7a Quarrying and mining of minerals other than coal	Industrial processes
<b>2A7b</b>	2A7b Construction and demolition	Industrial processes
<b>2A7c</b>	2A7c Storage, handling and transport of mineral products	Industrial processes
<b>2A7d</b>	2A7d Other Mineral products	Industrial processes
<b>2B</b>	2 B CHEMICAL INDUSTRY	Industrial processes
<b>2B1</b>	2 B 1 Ammonia Production	Industrial processes
<b>2B2</b>	2 B 2 Nitric Acid Production	Industrial processes
<b>2B3</b>	2 B 3 Adipic Acid Production	Industrial processes
<b>2B4</b>	2 B 4 Carbide Production	Industrial processes
<b>2B5</b>	2 B 5 Other (to be specified)	Industrial processes
<b>2B5a</b>	2 B 5a Other Chemical Industry (to be specified)	Industrial processes

<b>NFR Code</b>	<b>NFR Source Description</b>	<b>Sector Category</b>
<b>2C</b>	2 C METAL PRODUCTION	Industrial processes
<b>2C1</b>	2 C 1 Iron and steel production	Industrial processes
<b>2C3</b>	2 C 3 Aluminium production	Industrial processes
<b>2C5a</b>	2 C 5 a Copper production	Industrial processes
<b>2C5b</b>	2 C 5 b Lead production	Industrial processes
<b>2C5d</b>	2 C 5 d Zinc production	Industrial processes
<b>2C5e</b>	2 C 5 e Other metal production	Industrial processes
<b>2D</b>	2 D OTHER PRODUCTION (b)	Industrial processes
<b>2D1</b>	2 D 1 Pulp and Paper	Industrial processes
<b>2D2</b>	2 D 2 Food and Drink	Industrial processes
<b>2D3</b>	2 D 3 Wood processing	Industrial processes
<b>2E</b>	2E_Production_of_Halocarbons_and_Sulphur_Hexafluoride	Industrial processes
<b>2E1</b>	2 E 1 Halocarbons production (by-product)	Industrial processes
<b>2E2</b>	2 E 2 Halocarbons production (fugitive)	Industrial processes
<b>2F</b>	2 F Halocarbons use	Industrial processes
<b>2G</b>	2 G OTHER (to be specified)	Industrial processes
<b>3A</b>	3 A PAINT APPLICATION	Solvent processes
<b>3A1</b>	3 A 1 Decorative coating application	Solvent processes
<b>3A2</b>	3 A 2 Industrial coating application	Solvent processes
<b>3A3</b>	3 A 3 Other coating application (Please specify the sources included/excluded in the notes column to the right)	Solvent processes
<b>3B</b>	3 B DEGREASING AND DRY CLEANING	Solvent processes
<b>3B1</b>	3 B 1 Degreasing	Solvent processes
<b>3B2</b>	3 B 2 Dry cleaning	Solvent processes
<b>3C</b>	3 C CHEMICAL PRODUCTS, MANUFACTURE AND PROCESSING	Solvent processes
<b>3D</b>	3 D OTHER incl. products containing HMs and POPs (to be specified)	Solvent processes
<b>3D1</b>	3 D 1 Printing	Solvent processes
<b>3D2</b>	3 D 2 Domestic solvent use including fungicides	Solvent processes
<b>3D3</b>	3 D 3 Other product use	Solvent processes
<b>4A1</b>	4 A 1 Enteric_Fermentation_Cows	Agriculture
<b>4A10</b>	4 A 10 Enteric_Fermentation_Deer	Agriculture
<b>4A3</b>	4 A 3 Enteric_Fermentation_Sheep	Agriculture
<b>4A4</b>	4 A 4 Enteric_Fermentation_Goats	Agriculture
<b>4A6</b>	4 A 6 Enteric_Fermentation_Horses	Agriculture
<b>4A8</b>	4 A 8 Enteric_Fermentation_Swine	Agriculture
<b>4B</b>	4 B MANURE MANAGEMENT (c)	Agriculture
<b>4B1</b>	4 B 1 Cattle	Agriculture
<b>4B1a</b>	4 B 1 a Dairy	Agriculture
<b>4B1b</b>	4 B 1 b Non-Dairy	Agriculture
<b>4B11</b>	4 B 11 Liquid_Systems	Agriculture
<b>4B12</b>	4 B 12 Solid_Storage_and_Drylot	Agriculture
<b>4B13</b>	4 B 13 Other	Agriculture
<b>4B1a</b>	4 B 1 a Dairy	Agriculture
<b>4B1b</b>	4 B 1 b Non-Dairy	Agriculture
<b>4B2</b>	4 B 2 Buffalo	Agriculture
<b>4B3</b>	4 B 3 Sheep	Agriculture
<b>4B4</b>	4 B 4 Goats	Agriculture
<b>4B5</b>	4 B 5 Camels and Llamas	Agriculture
<b>4B6</b>	4 B 6 Horses	Agriculture

<b>NFR Code</b>	<b>NFR Source Description</b>	<b>Sector Category</b>
<b>4B7</b>	4 B 7 Mules and Asses	Agriculture
<b>4B8</b>	4 B 8 Swine	Agriculture
<b>4B9a</b>	4 B 9 a Laying hens	Agriculture
<b>4B9b</b>	4 B 9 b Broilers	Agriculture
<b>4B9d</b>	4 B 9 d Other poultry	Agriculture
<b>4C</b>	4 C RICE CULTIVATION	Agriculture
<b>4D</b>	4 D AGRICULTURAL SOILS	Agriculture
<b>4D1</b>	4 D 1 Direct Soil Emission	Agriculture
<b>4F</b>	4 F FIELD BURNING OF AGRICULTURAL WASTES	Agriculture
<b>4G</b>	4 G OTHER (d)	Agriculture
<b>5B</b>	5 B FOREST AND GRASSLAND CONVERSION	n/a
<b>5D</b>	5D_CO2_Emissions_From_Soils	n/a
<b>5E</b>	5 E Other	n/a
<b>6A</b>	6 A SOLID WASTE DISPOSAL ON LAND	Waste
<b>6B</b>	6 B WASTE-WATER HANDLING	Waste
<b>6C</b>	6 C WASTE INCINERATION (e)	Waste
<b>6Ca</b>	6 C a Clinical waste incineration (d)	Waste
<b>6Cb</b>	6 C b Industrial waste incineration (d)	Waste
<b>6Cc</b>	6 C c Municipal waste incineration (d)	Waste
<b>6Cd</b>	6 C d Cremation	Waste
<b>6Ce</b>	6 C e Small scale waste burning	Waste
<b>6D</b>	6 D OTHER WASTE: Composting and accidental fires	Waste
<b>7A</b>	7 A OTHER	Other
<b>Memo Items</b>		
<b>1A3ai(ii)</b>	International Aviation (Cruise)	n/a
<b>1A3aii(ii)</b>	Domestic Aviation (Cruise)	n/a
<b>1A3di(i)</b>	International maritime Navigation	n/a
<b>1A3di(ii)</b>	International inland waterways (included in NEC totals only)	n/a
<b>X</b>	X (11 08 Volcanoes)	n/a

## APPENDIX B: METHODS FOR CALCULATING EMISSION DISTRIBUTIONS

For a more detailed description of the integration of point source data analysis and the development of UK emission maps, see Chapter 3 of “*UK Emission Mapping Methodology 2009*” (Tsagatakis *et al.*, 2011). This report outlines in detail the analysis conducted to analyse known point source emissions data, and derive the ‘area’ emission sources that make up the remaining component of UK emission totals. These area sources are then disaggregated geographically across the UK using a range of methods according to available data for the source in question. The geographical distribution of emissions across the UK is then built up from distributions of emissions in each source sector.

For large industrial point sources, emissions are compiled from a variety of official UK sources (Environment Agency, Scottish Environment Protection Agency, Northern Ireland Environment Agency, DECC Offshore Inspectorate, Local Authorities). The area source distribution maps are generated using appropriate surrogate statistics for that sector, commonly using local activity statistics such as raw material use, energy use, industrial production and employment data, housing and population data, road vehicle and fuel sales data, periodic census or socio-economic survey data.

Total emissions from road transport in each DA region are calculated from the following information:

- Emission factors (g/m) for different types of vehicles, which depend on the fuel type (petrol or diesel) and are influenced by the drive cycle or average speeds on the different types of roads;
- Traffic activity for each DA region, including distance and average speed travelled by each type of vehicle on each type of road;
- DA-specific fleet data on petrol/diesel car mix, car engine size and fleet composition (i.e. age distribution) for cars, LGVs and rigid HGVs based on DVLA data; the age of the fleet determines the proportion of vehicles manufactured in conformity with different exhaust emission regulations;

There are a number of improvements made to the 2010 UK road transport inventory and thus affecting the DA inventories:

- The application of Automatic Number Plate Recognition (ANPR) data to define vehicle fleet composition by different road types;
- Revised 2009 vehicle km activity data for Northern Ireland as provided by the Department for Regional Development;
- Removed previous assumptions made on the early uptake of Euro 4 petrol cars as these appear to have been overly optimistic. Their date of introduction is now based on the mandatory date set in the European emissions directive;
- Assumptions on the split in vehicle km for HGVs by vehicle weight class have been updated using information provided by DfT’s Road Freight Statistics. This is to improve how the emission factors for different HGV vehicle weight classes are utilised;
- Revised emission factors for NO<sub>x</sub> for all vehicle types (except motorcycles) and emission degradation methodology for light duty vehicles based on latest version of COPERT 4 (v8.1).

Table B1 provides a simple overview of the different data used to map the SNAP sectors, whilst Table B2 below provides a more detailed insight into the disaggregation methodologies used to compile the DA air quality pollutant inventories. Table B2 is presented using the NFR reporting structure, which is the format currently required for the LRTAP submission.

**Table B1:** Methods used to Map Emissions in each of the 11 UNECE Source Sectors

<p><b>1 Combustion in energy production and transfer</b> points offshore IDBR employment</p>	<p><b>6 Solvent use</b> population points IDBR employment Land use</p>
<p><b>2 Combustion in commercial, institutions, residential and agricultural sectors</b> points domestic fuel use IDBR employment IDBR agriculture IDBR commercial and public fuel use</p>	<p><b>7 Road transport</b> road transport</p>
<p><b>3 Combustion in industry</b> points IDBR employment IDBR industry fuel use</p>	<p><b>8 Other transport and machinery</b> agriculture airports other rail shipping IDBR employment population</p>
<p><b>4 Production processes</b> points IDBR employment shipping road transport population other</p>	<p><b>9 Waste Treatment and disposal</b> landfill Land use Offshore points IDBR employment</p>
<p><b>5 Extraction / Distribution of fossil fuels</b> points offshore other domestic fuel use population</p>	<p><b>10 Agricultural, forests and land use change</b> agriculture Land use</p> <p><b>11 Other sources and sinks</b> Land use population</p>

**Table B2:** Disaggregation Methodologies for compiling the DA Air Quality Pollutant Inventories

NFR Sector	Source	Disaggregation Method
1A1a	Power stations (all fuels)	All emissions are derived from the AEA point source database, which is based on annual emissions estimates reported to UK environmental regulators by IPC/IPPC-regulated industry and (since 2005) fuel use data available from the EUETS.  Environment Agency (2011a,b), SEPA (2011a,b), NIEA (2011a,b)
1A1b	Refineries (all fuels)	Point source data provided by plant operators to IPC/IPPC pollution inventories (see 1A1a). Further detail on combustion and process emissions provided by UKPIA (2011).
1A1c	Coke & SSF production (all fuels)	Point source data provided by plant operators (see 1A1a).  Regional iron & steel production and fuel use data (ISSB, 2011).  UK fuel use data from DECC (2011a).
	Nuclear fuel production (all fuels)	All emissions are in England
	Colliery combustion (all fuels)	Deep mined coal production, data from the Coal Authority (2011).
	Gas production & gas separation plant (all fuels)	Arrivals of natural gas, DECC (2011a,d), DECC Oil & Gas EEMS inventory (2011)
	Offshore oil & gas (Natural gas use)	DECC Offshore Inspectorate (2011) EEMS inventory. Point source data for NO <sub>x</sub> , SO <sub>2</sub> , VOC. (CO and PM <sub>10</sub> assumed same as SO <sub>2</sub> .)
1A2a	Blast furnaces & sinter plant	Point source data provided by plant operators (see 1A1a), supplemented by site-specific breakdown of emissions from Tata Steel (2011).
	Iron & steel combustion plant (all fuels)	Regional iron & steel production and fuel use data (ISSB, 2011) used to inform estimates to 2004. 2005 onwards derived from activity data from EUETS.
1A2b	Non Ferrous Metals	Emissions analysis for 2010: Pollution Inventory (EA, SEPA, NIEA 2011a), EUETS (EA, SEPA, NIEA 2011b) IDBR and employment data (ONS, 2011). Overall analysis of the 1A2b,c,d,e and f sectors used to constrain the DA totals to previous 1A2 DA estimates, using 1A2f Other Industry as
1A2c	Chemical Industry Combustion	

NFR Sector	Source	Disaggregation Method
1A2d	Paper and Pulp	residual. Detailed analysis conducted for 2008-2010; 1A2b,c,d,e 1990-2008 DA trends matched with UK trends due to data limitations for the detailed industry sub-sector activities at DA level.
1A2e	Food, drink and tobacco	(see above – method for 1A2b,c,d,e and f integrated.)
1A2f	Refractory & ceramic production	Regional GDP data (ONS, 2011).
	Autogenerators (coal)	All emissions in England.
	Lime, cement, brick and ammonia production (all fuels)	Point source data from plant operators (see 1A1a). All lime production and ammonia production in England.
	Other industrial combustion (oils)	Sub-national energy statistics, DECC (2011b), and analysis of AEA point source data derived from EU ETS and IPPC data. Environment Agency (2011a,b), SEPA (2011a,b), NIEA (2011a,b). Overall analysis of the 1A2b,c,d,e and f sectors used to constrain the DA totals to previous 1A2 DA estimates, using 1A2f Other Industry as residual.
	Other industrial combustion (SSF, coke)	
	Other industrial combustion (coal)	
	Other industrial combustion & auto-generators (gas)	Natural gas consumption data from gas network operators: Transco (2011), Northern Gas Networks (2011), Scotia Gas Networks (2011), Wales & West Utilities (2011), Phoenix Natural Gas (2011), Firmus Energy (2011), Vayu (2011). Regional energy statistics, DECC (2011b), and analysis of AEA point source data derived from EU ETS and IPPC data. Environment Agency (2011a,b), SEPA (2011a,b), NIEA (2011a,b).
Industrial off-road machinery (all fuels)	Sub-national energy statistics (DECC, 2011b) and DA GDP data (ONS, 2011).	
1A3ai (i)	Aircraft – international take-off and landing (all fuels)	CAA (2011), UK airport statistics. All take-off and landing cycle emissions for each flight assigned to DA of origin airport.
1A3aii (i)	Aircraft – domestic take-off and landing (all fuels)	
1A3bi to 1a3bvii	Road Transport	Vehicle km, DfT, NI DRD Emission factors: Boulter et al. (2009) COPERT 4 (EEA, 2010) Fuel efficiency: Road Freight Statistics, DfT (2009, -2011a-e) Composition of fleet: Vehicle Licensing Statistics Report, DfT (GB) Dept of Regional Development (NI).



NFR Sector	Source	Disaggregation Method
		<p>Traffic data: National Traffic Census, DfT (England, Scotland, Wales: 1990-2011) Dept of Regional Development (NI: 1990-1999), Traffic Census Report (NI: 2000), Vehicle Kilometres of Travel Survey of Northern Ireland Annual Report (NI: 2001), Traffic and Travel Information, DRDNI (NI: 2002- 2011) Fuel consumption: Digest of UK Energy Statistics (1990-2011), Welsh Office fuels data (WO, 1998)</p>
1A3c	Railways: intercity, regional and freight	<p>Gas oil consumption back calculated from fuel data from ATOC/ORR using train km data from DfT. Gas oil consumption from Translink (2011) Fuel consumption: Digest of UK Energy Statistics (1990-2011)</p>
1A3dii	Coastal shipping (gas oil, fuel oil)	Port movement data, DfT (2011b) Maritime Statistics.
1A3eii	Aircraft support vehicles (gas oil)	Regional aircraft movements, DfT (2011d)
1A4a	Railways – stationary combustion	Sub-national energy statistics, DECC (2011b)
	Industrial & commercial combustion	Sub-national energy statistics, DECC (2011b), and analysis of AEA point source data and public and commercial mapping grids from regional employment data by sector. Gas use data supplemented by data from gas network operators (same references as 1A2f). PSEC data (DFPNI 2010) used to inform the N Ireland estimates.
	Public sector combustion	
1A4bi	Domestic combustion	For coal, anthracite, petroleum fuels, analysis is from Sub-national energy statistics, DECC (2011b) and Housing Condition Survey data. Domestic peat combustion data from CEH (Tomlinson, 2010). Gas use data provided by gas network operators (same references as 1A2f). Domestic mapping grid for GB was updated in 2011, and this has been used.
1A4bii	House & garden machinery (all fuels)	Regional dwellings data, ONS (2011).
1A4ci	Agriculture – Stationary combustion	Agricultural employment data, Defra (2011) used for allocation of solid and gaseous fuels. Regional energy statistics, DECC (2011b) used for petroleum-based fuels. N Ireland gas use data for agriculture sector based on 2005 estimate for the sector provided by Phoenix Natural Gas (2007)

<b>NFR Sector</b>	<b>Source</b>	<b>Disaggregation Method</b>
1A4cii	Agriculture – mobile machinery	Agricultural off-road mapping grid, with overall petroleum fuel allocations constrained to the DECC sub-national energy data (DECC, 2011b)
1A4ciii	Fishing vessels	Port movement data, DfT (2011b) Maritime Statistics.
1A5b	Military aircraft and naval shipping	Regional GDP data (ONS, 2011).
1B1a	Deep-mined coal	Regional deep mine production, Coal Authority (2011). Emissions from closed coal mines derived from WSP report (Fernando, 2011)
1B1b	Coke & SSF production	Coal feed to coke ovens, ISSB, WS, DECC and (1999-2004) PI. 2005 onwards: EUETS (EA, SEPA, NIEA 2011b)
	Iron & steel flaring	Coal feed to coke ovens, ISSB, WS, DECC and (1999-2004) PI. 2005 onwards: EUETS (EA, SEPA, NIEA 2011b)
1B2ai	Offshore oil & gas: offshore oil loading, well testing.	All emissions unallocated.
	Offshore oil & gas: process emissions, onshore oil loading, oil terminal storage	Emissions derived from the DECC Offshore Inspectorate (2011) EEMS point source dataset, with extrapolations back to cover 1990, 1995 where data gaps are evident.
1B2aiv	Refinery process emissions (drainage, tankage, general)	Point source data provided by plant operators (see 1A1a), UKPIA (2011) and analysed using the AEA point source database.
1B2av	Petrol terminal storage and loading, Refinery road and rail haulage emissions	Point source data provided by plant operators (see 1A1a).
	Petrol station emissions from delivery, vehicle refuelling, storage tanks and spillages	Regional road transport distribution based on analysis of vehicle km data for different vehicle types and the resultant fuel use distributions. Hence, references as 1A3b.
1B2b	Onshore gas production (gasification process emissions)	Point source data provided by plant operators (see 1A1a).

NFR Sector	Source	Disaggregation Method
	Gas leakage from supply infrastructure	Leakage data provided by gas network operators: Transco (2011), Northern Gas Networks (2011), Scotia Gas Networks (2011), Wales & West Utilities (2011), Phoenix Natural Gas (2011).
1B2c	Offshore oil & gas: flaring & venting	Emissions derived from the DECC Offshore Inspectorate (2011) EEMS point source dataset, with extrapolations back to cover 1990, 1995 where data gaps are evident.
	Refinery flaring	Point source data provided by plant operators (see 1A1a).
2A1	Cement decarbonising	Point source data provided by plant operators (see 1A1a).
	Concrete batching	Regional GDP data (ONS, 2011).
	Slag cement production	Slag cement production mapping grid
2A2	Lime production decarbonising	Point source data provided by plant operators (see 1A1a).
2A3	Limestone & dolomite use in: inter plant, glass production, basic oxygen furnaces. FGD emissions from power stations.	Point source data provided by plant operators (see 1A1a).
2A4	Soda ash use in glass and chemical industries	Point source data provided by plant operators (see 1A1a).
2A7	Construction, asphalt manufacture	Regional GDP data (ONS, 2011).
	Quarrying (aggregates)	Quarries mapping grid.
	Glass industry process emissions	Point source data provided by plant operators and from EUETS (see 1A1a).
2B1	Ammonia production	All ammonia production now in England. Point source emissions data and plant capacity data used for earlier years.
2B2	Nitric acid production	Point source data provided by plant operators (see 1A1a). Now all England.
2B3	Adipic acid production	Point source data provided by plant operators (see 1A1a). All England.

<b>NFR Sector</b>	<b>Source</b>	<b>Disaggregation Method</b>
2B5	Ship purging	All emissions unallocated.
	Chemical industry process emissions	Point source data provided by plant operators (see 1A1a).
2C	Industrial process emissions from SMEs, hot & cold steel rolling emissions	Regional GDP data (ONS, 2011).
	Process emissions from: blast furnaces, EAFs, BOFs, primary aluminium production & anode baking, alumina production, non-ferrous metal processes	Point source data provided by plant operators (see 1A1a), plus supplementary data provided by Tata Steel (2011) and the ISSB (2011)
	Flaring & stockpile emissions at iron & steelworks	Regional iron & steel production and fuel use data (ISSB, 2011).
	Foundries	Foundries mapping grid
2D1	Paper production process emissions	Regional GDP data (ONS, 2011).
	Wood product process emissions	Wood coating mapping grid.
2D2	Cider & wine manufacture	All emissions are in England.
	Spirit manufacture	Spirits mapping grid
	Brewery emissions	Brewing mapping grid
	Food & drink process industries: meat & fish, margarine, cakes & biscuits, animal feed, coffee roasting	Population used to disaggregate emissions.
	Other food & drink processes: bread baking, sugar beet, malting.	Point source data provided by plant operators (see 1A1a).
3	Solvent use	Population data, ONS (2011).

NFR Sector	Source	Disaggregation Method
3A	Trade & retail decorative paints,	Population data, ONS (2011).
	Industrial coatings: commercial vehicles, aircraft, agricultural and construction vehicles.	Regional GDP data (ONS, 2011).
	Industrial coatings: wood, metal, plastic, marine, vehicle refinishing.	Various coatings mapping distribution grids are used, based on surveys of locations of such processes.
	Industrial coatings: coil, metal packaging, automotive, drum.	Point source data provided by plant operators (see 1A1a).
3B	Domestic surface cleaning.	Population data, ONS (2011).
	Dry cleaning (solvent use)	Dry cleaning mapping grid
	Industrial surface cleaning	Industrial employment mapping distribution grid.
3C	Rubber & plastic products	Population data, ONS (2011).
	Leather coating and degreasing	Regional GDP data (ONS, 2011).
	Tyre manufacture and industrial coatings: textiles, film.	Point source data provided by plant operators (see 1A1a).
	Industrial coating manufacture: adhesives, inks, solvents and pigments	Various industry-specific coatings mapping distribution grids
3D	Industrial adhesives and solvent use, printing, aerosol and non-aerosol products (cosmetics & toiletries, household products, paint thinners),	Population data, ONS (2011).
	Printing – public gravure	Other printing mapping grid
	Road dressings	Road dressing mapping grid.

NFR Sector	Source	Disaggregation Method
	Agrochemical use, wood impregnation	Various agricultural mapping distribution grids
	Seed oil extraction, paper coatings, some adhesive and printing processes.	Point source data provided by plant operators (see 1A1a).
4B1	Cattle waste: manure & excreta	Livestock data, via Rothamsted Research (2011)  For NH <sub>3</sub> , specific DA splits for manure management, based on regional emissions data for 1990, 1995, 2000-2010 provided by Rothamsted Research
4B3	Sheep & goat waste: manure & excreta	Livestock data, via Rothamsted Research (2011)  For NH <sub>3</sub> , specific DA splits for manure management, based on regional emissions data for 1990, 1995, 2000-2010 provided by Rothamsted Research
4B6	Horse waste: manure & excreta	Livestock data, via Rothamsted Research (2011)
4B8	Pig waste: manure & excreta	Livestock data, via Rothamsted Research (2011)  For NH <sub>3</sub> , specific DA splits for manure management, based on regional emissions data for 1990, 1995, 2000-2010 provided by Rothamsted Research
4B9	Poultry wastes: manure & excreta	Livestock data, via Rothamsted Research (2011)  For NH <sub>3</sub> , specific DA splits for manure management, based on regional emissions data for 1990, 1995, 2000-2010 provided by Rothamsted Research
4B13	Domestic pets: manure & excreta	2010 Mapping data from CEH (2011) and population data, ONS (2011).
4D1	Use of domestic fertiliser & composting	Population data, ONS (2011).  For NH <sub>3</sub> , specific DA splits for fertiliser use, based on regional emissions data for 1990, 1995, 2000-2010 provided by Rothamsted Research

NFR Sector	Source	Disaggregation Method
	Agricultural soil emissions	Rothamsted Research (2011), livestock data and fertiliser application data. For NH <sub>3</sub> , specific DA splits for agricultural soils, based on regional emissions data for 1990, 1995, 2000-2010 provided by Rothamsted Research
4F	Field burning	Field burning estimates, via Rothamsted Research (2011)
5B	Deforestation	CEH (2011) regional distribution data.
6A	Landfills, benzoles & tars	Regional landfill MSW disposal data ( <a href="http://www.wastedataflow.org">www.wastedataflow.org</a> ), combined with DA-specific landfill model developed by the Defra Waste team (Defra, 2012).
6B	Sewage sludge decomposition	Population data, ONS (2011).
6C	Clinical waste incineration, small-scale waste burning	Population data, ONS (2011).
	Incineration: MSW, crematoria, sewage sludge, chemical waste	Point source data provided by plant operators (see 1A1a).
	Foot & mouth pyres	Data on livestock disposal, NAO report.
6D	Nappies, accidental fires, composting	Population data, ONS (2011).
7	Cigarettes, fireworks & bonfires	Population data, ONS (2011).